Handknitting



Fall/Winter 2011/12



NORDIG NEWS

FAIR ISLE FOR FALL

IN LOVE WITH DETAILS:

GOING GREW

GREAT CLASSICS SPORT A NEW LOOK

STUDIOUT USDIT

High Expectations
The front of this exquisite coat
is pictured on page 61



Top Trends Made Easy!

What women want right now are relaxed, comfortable and *cozy knits with a touch of sensuality*. Lana Grossa has translated the best in *latest trends* straight from the fashion shows and onto your needles.

The newest neutral: *grey*. Feminine elements combine beautifully with masculine shades of silver and charcoal. *Fair Isle* is making a comeback, *retro designs* feel fresh in saturated jewel tones.

Sweaters and jackets in *powdery shades* will take you easily from day to evening in comfort and style. *This will be an awesome winter!*



- Nordic News
 Fair Isle is fall's hottest trend
 - 27 Instructions
 - 52 Imprint, List of Suppliers
 - 59 CASHMERE info page
- Old is new again. New retro designs feel fresh in saturated jewel tones
- 72 *Glamour light*Translucent and iridescent knits in powdery shades deliver flattering evening looks











Exciting grey: from light to dark, grey in all its nuances takes shape in timeless silhouettes and styles that range from playful to cool.



Soft and beautiful curved edge jacket with a face-flattering shawl collar. Add a belt to accentuate the fit.

Filati Handstrick 5









4 LEFT PAGE:

Incomparable cashmere in a soft shade of grey, deep V-neck styling and sculpted cables make this sweater a standout.

ALTA MODA CASHMERE

5 THIS PAGE:

Open-front jacket with an oversized, comfortable fit. Stitched in an airy blend of merino wool and kid mohair.

ALTA MODA KID



6 THIS PAGE:

Op art cables and tone-ontone stripes inspire this becoming raglan sweater.

EVENTO

7 RIGHT PAGE:

Wellness to go. Allover ribbing branches into a dramatic center cable. The comfortable raglan shaping and generous cowl neck make for a feel-good sweater.

COOL WOOL BIG











10 LEFT PAGE:

A variety of cable patterns wind their way across this dolman pullover that's worked cuff to cuff. The yarn: a soft, tweedy blend of merino wool and kid mohair. **WINDSOR**

11 THIS PAGE:

We've combined the classic styling of a blazer with the comfort of a cardigan. A richly textured honeycomb pattern graces the fronts, the sleeves are worked in garter stitch. **PERNOI**

























The fiber from the undercoat of the Kashmir goat is widely considered to be the ultimate luxury fiber. This fiber has great insulating properties, but is lighter than wool. Most Kashmir goats live in the rugged, mountainous regions of Pakistan and Tibet. Each animal produces only about 200 grams of fiber every year, which makes cashmere something very special. SOLO CASHMERE by LANA GROSSA is a 100% cashmere yarn and is spun in Italy's premier cashmere mills.

The result: a truly exceptional yarn that lets you create timeless pieces that are soft and warm and a delight to wear. Your finished garment deserves the best of care. Hand washing in tepid water is recommended. Do not agitate the water and do not wring or twist the knitted piece. Rinse until the water is clear. Do not use fabric softener. Roll the piece in a towel to absorb water and lay flat to dry.

Past Perfect

OLD IS NEW AGAIN

Retro designs add new allure and excitement to basic wardrobe staples. Big needles and wonderfully soft, bulky yarns in saturated jewel tones bring a fresh look to this enduring trend.





















32 THIS PAGE:

A minimum of effort for maximum reward.
Garter stitch cardigan worked in a bold, self-striping yarn with kimono-style sleeves and cabled trim.

ELLE


33 RIGHT PAGE:

Pair this time-honored
Aran cardigan with flirty
tops for a modern edge.

ALTA MODA CASHMERE

































KNITTING INSTRUCTIONS


Before you begin knitting...

qualifier of Macellot with the region of the presumant for the struct forms of entrance tagget the off Sulfier 1.1 (1) of 1.2 (a. 1) and 1.3 (a. 1) (a. 1) Substitute a presidency of five and as a substitute of the control of the property of the five and the presidency of the property o

THE VERY METERS OF THE PERSON AND THE PROPERTY OF THE PROPERTY

ABBREVIATIONS

GAUGE SWATCH



DESIGN

JACKET
Size 38/40
Finished Bust 39 1/4" incl front bands
Length 20"
Materials: approx 11 balls tap-

irox. 154yd 140m en ni of L

Grossa Alta Moda Alpaca

(col 12)

Rib Pattern:
Brioche Stitch:

Row 1 [RS]:

Row 2 [WS]:

Row 3 [RS]:

BIRSI: Left From

Main Pattern:

- 1918

Gauge: 1784 and 1

Back:

Right Front:

Sleeves

er soon op het gegen op het geg

ones Editorio Anna godin Zerra o renggi dera esa godi Tentra

ngaling (mood of the galler Bosen on angle (Mongra Amerikan off of the

- Moreon of the effective been bless what a person openhous - flat over some of

To finition outgoing and the state of the Silvenia Courtina F

Finishing:

17 I 10.51 61




Chart key:

pat rep

= sl3 to cn and hold in front of work, k3, k3 from cn = sl3 to cn and hold in back of

work, k3, k3 from en

rows - 169 sts. Next, work in brioche st for 6 rows. Change to largest size circular needle and cont in brioche st until left front band measures approx. 4" [10 cm] from beq.

Bind off all sts in pat. Right front band: with smallest circular needle. beg at right side seam and end at center back neck, work same as for left front band. With smallest circular needle, pick up and k approx. 81 sts along lower back edge and work same as for right and left front band. When working the 2 St st rows after the rib pat, inc 24 sts

evenly on 2nd of these 2 rows - 105 sts. Sew right and left front bands tog at center back neck. Sew right and left front bands to back band at side seams.

DESIGN 2

SHORT DRESS/TUNIC Size 36/38 (40/42) Finished Bust 33 3/4" (37)" Length 31 1/2"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 8 (9) balls (approx. 154yd/140m each) of Lana Grossa Alta Moda Alpaca (90% baby alpaca, 5% merino wool, 5% polyamide) in dark grey (col 22); size 10 and 10 1/2 [6 and 6.5mm] needles, size 10 [6mm] circular needle

Textured Pattern 1: worked over an odd number of sts. Row 1: k. Row 2: p. Row 3: selvage st, k1, * sl1 pwise wyib, k1, rep from *, selvage st. Row 4: selvage st, k1, * sl1 pwise wyif, k1, rep from *, selvage st. Repeat rows 1-4 throughout.

Textured Pattern 2: worked over an odd number of sts. Row 1: selvage st, p1, * k1, p1, rep from *, selvage st. Row 2: k. Repeat rows 1 and 2 throughout.

St st: k on RS; p on WS.

St st in rnds: k every rnd.

Gauge: 18 sts and 32 rows = 4" [10 cm] in textured pat 1 on larger needles; 18 sts and 26 rows = 4" [10 cm] in textured pat 2 on smaller needles


Back: with smaller needles, cast on 87 (95) sts. K 1 WS row. Change to larger needles and work in textured pat 1 until back measures 9 3/4" [25 cm] from beg. Shape sides: cont in pat as established and dec 1 st each end of needle on next row, then every foll 20th row 3 times more - 79 (87) sts. Cont in pat as established until back measures 18 1/2" [47 cm] from beg, ending with a pat row 4. Next, k 1 RS row, k 1 WS row, then work remainder of back in textured pat 2 and when back measures 21 3/4" [55 cm] from beg, shape sleeves: inc 1 st each end of needle on next row, then every other row 5 times. Cast on 2 sts at beg of foll 2 rows - 95 (103) sts. Cont in pat as established until back measures 30 1/4" [77 cm] from beg. Shape shoulders: bind off 7 (8) sts at each shoulder edge once, 6 (7) sts 3 times, then bind off remaining 45 sts.

Front: work same as for back until front measures 29 1/2" [75 cm] from beg. Shape neck: work to center 15 sts, join another ball of yarn, bind off center 15 sts. work to end. Working both sides at same time, bind off 3 sts at each neck edge 5 times. At

same time, when same length as back to shoulders, shape shoulders same as for back.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular needle, pick up and k approx. 60 sts along sleeve edge and work in St st for approx. 1 1/2" [3.5 cm]. Bind off all sts. Sew side and sleeve seams.

needle, pick up and k approx. 100 sts around neck edge. Join for working in rnds and work 75 I front in St st for approx. 1 1/2" [3.5 cm]. Bind off all sts.



DESIGN 3

V-NECK SWEATER WITH FAIR ISLE BAND

Size 38/40 (42/44) Finished Bust 39 1/4 (42 1/2)" Length 21 3/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 5 (6) balls (approx. 165vd/150m each) of Lana Grossa Diverso (52% extrafine merino wool, 23% baby alpaca, 25% polyamide) in charcoal (col 12); approx. 1 ball (approx. 154yd/140m) of Lana Grossa Carezza (30% silk, 30% baby alpaca, 25% merino wool, 15% viscose) in light grey (col 14); size 8-9 [5-5.5mm] needles, size 7 [4.5mm] circular needle.

Rib Pattern: p2, k2.

St st: k on RS: p on WS.

Fair Isle Pattern: worked in St st according to chart. Loosely carry strand not in use across WS of work.

Gauge: 16 sts and 24 rows = 4" [10 cml in St st with Diverso.

Back: with Diverso, cast on 82 (90) sts. Work in rib pat for 4" [10 cm], working 1 selvage st at each edge. Inc 1 st at center of last WS row of rib pat - 83 (91) sts. Next, work in St st until back measures 9 3/4" [25 cm] from beg. Next, work Fair Isle pat according to chart, working

pat rep throughout and end chart pat with st after pat rep, selvage st. Change to Diverso and work in St st until back measures 14 1/2" [37 cm] from beg. Shape armholes: bind off 4 sts at beg of next 2 rows, 3 sts at beg of foll 2 rows and 2 sts at beg of foll 2 rows - 65 (73) sts. Cont in St st until back measures 20 3/4" [53 cm] from beg. Shape neck: work to center 37 sts, join another ball of yarn, bind off center 37 sts, work to end. Working both sides at same time, bind off 2 sts at each neck edge once. When back measures 21 3/4" [55 cm] from beg, bind off remaining 12 (16) sts for each shoulder.

Front: work same as for back until front measures 14 1/2" [37 cm] from beg. Shape neck: work to center st, join another ball of yarn, bind off center st, work to end. Working both sides at same time, dec 1 st at each neck edge every other row 20 times. When same length as back to shoulders, bind off remaining 12 (16) sts for each shoulder.

Sleeves: with Diverso, cast on 38 sts. Work in rib pat for 4" [10 cm], working 1 selvage st at each edge. Inc 1 st at center of last WS row of rib pat - 39 sts. Next, work in St st and shape sleeve as foll: inc 1 st each end of needle every 10th row 7 times and at same time, when sleeve measures 12 1/4" [31 cm] from beg, work in Fair Isle pat according to chart, centering pat over

sleeve. Change to Diverso and work in St st until sleeve measures 17" [43 cm] from beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows and 1 st at beg of foll 32 rows. Bind off remaining sts.

Finishing: Sew all seams, sew in sleeves. With circular needle and Diverso, pick up and k 92 sts around neck edge. Join for working in rnds and work in rib pat, making sure center 2 V sts

are k sts. Work Chart dec at center . V on every rnd as foll: work in rib pat as established to 1 st before center 2 0 sts, k2tog, SKP • [sl1 kwise, k1, psso], work in Color Kev: \square = charcoal = light grey pat rep (8) 1 13 16161 2= 15 18 16 10 =2 10 front sleeve, and 37 21 half | back 15 half 10 10 141 12 I 25 (27)

rib pat as established to end. When rib pat measures 1 1/4" [3 cm], bind off all sts.


DESIGN 4

CABLE SWEATER Size 36/38 (40/42) Finished Bust 36 1/4 (39 1/4)" Length 25 1/2"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 11 (12) balls (approx. 99yd/90m each) of Lana Grossa Alta Moda Cashmere (80% merino wool, 20% cashmere) in light grey (col 10); size 8 [5mm] and size 10-10 1/2 [6-6.5mm] needles, size H/8 [5mm] crochet hook, cable needle [cn].

Rib Pattern: p2, k2. St st: k on RS; p on WS.



Cable Pattern: worked over 10 sts. Row 1: k10. Row 2 and all other WS rows: p10. Rows 3, 5, 7: k10. Row 9: sl5 st cn and hold in front of work, k5, k5 from cn. Rows 11, 13, 15. 17. 19: k10. Repeat rows 9-20 throughout.

Gauge: 14 sts and 19 rows = 4" [10 cm] in St st on larger needles; 10 sts = approx. 2" [5 cm] in cable pat.

Front: with smaller needles, cast on 64 (68) sts and work in rib pat for 3 1/4" [8 cm], working first and last st as selvage sts. Change to larger needles and work as foll: selvage st, work next 10 (12) sts in rev St st and inc [M1I] 1 (2) sts across these sts = 11 (14) sts in rev St st, work next 10 sts in cable pat, work next 2 sts in rev St st and inc [M1I] 1 st across these sts = 3 sts in rev St st, work

next 2 sts in St st and inc [M1r] 2 sts across these sts = 4 sts in St st. work next 2 sts in rev St st and inc [M1I] 1 st across these sts = 3 sts in rev St st, work 10 sts in cable pat = center of front. Position sts and work incs for 2nd half of front same as for first half - 74 (80) sts. Work in pat as established until front measures 16 1/2" [42 cm] from beg. Shape sleeves: inc 1 st each end of needle on next row, then every other row 5 times more, working increased st in St st. At same time, when front measures approx. 17 3/4" [45 cm] and 70 pat rows have been worked, shape neck: work to center, join another ball of yarn, work to end. Working both sides at same time, cast on 1 st at each neck edge once. Dec 1 st at each

neck edge every other row 8 times. working decs as foll: work to last 7 sts of first side, k2tog, work to end; on 2nd side, k5, SKP work to end. When front measures 25 1/2" [65 cml from beg, shape shoulders: bind off 28 (31) sts at each shoulder edge once. Work in St st over front band sts for 3 1/2" [9 cm], then bind off all sts.

Back: work same as for front until back measures 24 1/4" [62 cm] from beg. Shape neck: work to center 20 sts, join another ball of yarn, bind off center 20 sts, work to end. Working both sides at same time, bind off 3 sts at each neck edge once and 2 sts once. When same length as front to shoulders, bind off remaining sts for each shoulder.

Sleeves: with smaller needles, cast

on 28 sts and work in rib pat for 3 1/4" [8 cm] working first and last st as selvage sts. Change to larger needles, work in St st and inc 2 sts evenly across first St st row - 30 sts. Cont in St st and shape sleeve as foll: inc 1 st each end of needle every 8th row 4 times, then every foll 6th row 6 times - 50 sts. Cont in St st until sleeve measures 17 3/4" [45 cm]. Bind off all sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. Sew left and right front bands tog, then sew side edges of front bands to back neck edge. With crochet hook, work 1 row sc around neck edge. Sew on sleeves. Sew side and sleeve seams.

Right Sleeve: work same as for left

sleeve, working cable pat A instead

Finishing: pin pieces to measure-

ments and block with damp towels.

Sew sleeve extensions between

back and front shoulders. Sew

on sleeves. Sew side and sleeve

seams. Graft left and right front

bands tog, then sew side edges

of front bands to back neck edge.

With crochet hook, work 2 rows sl

st along right front, back neck and

DESIGN 6

SWEATER WITH CABLES AND

Materials: approx. 5 balls (approx.

176yd/160m each) of Lana Grossa

Evento (65% cotton, 35% extrafine

merino wool) in grey/black (col 7)

and approx. 3 balls in slate/natu-

ral (col 22); size 7 (4.5mm] circular

of cable pat B.

left front edge.

STRIPES

Size 36/38

Length 21 3/4"

Finished Bust 36 1/4"

DESIGN 5

JACKET WITH CABLE TRIM Size 36/38 (40/42) Finished Bust 36 1/4 (39 1/4)" Length 28 3/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 15 (16) balls (approx. 66yd/60m each) of Lana Grossa Alta Moda Kid (60% merino wool, 40% kid mohair) in grey (col 12); size 11 and 13 [8 and 9mm] needles, size J/10 [6mm] crochet hook, cable needle [cn].

Garter st: k every row.

Cable Pattern A and B: work according to chart A and B.

Gauge: 14 sts and 20 rows = 4" [10 cm] in garter st on larger needles; 12 sts = approx. 2 1/4" [6 cm] in cable pat A and B.


Back: with smaller needles, cast on 64 (70) sts and work in garter st for 3/4" [2 cm]. Change to larger needles and position sts as foll: selvage st, work 11 (14) sts in garter st, work 8 sts in cable pat B, work 24 sts in garter st, work 8 sts in cable pat A, work 11 (14) sts in garter st, selvage st. Inc 4 sts on 3rd row of cable pats as charted - 72 (78) sts. Work in pat as established until back measures 22 1/2" [57 cm] from beg. Shape armholes: bind off 5 sts at beg of next 2 rows - 62 (68) sts. Cont in pat as established until back measures 27 1/4" [69 cm] from beg. Shape neck: work to center 6 sts, join another ball of yarn, bind off center 6 sts, work to end. Working both sides at same time, bind off 3 sts at each neck edge once and 2 sts once. Cont in pat as established until back measures 28 3/4" [73 cm] from beg. Bind off remaining sts for each shoulder and at same time. k3tog over each cable pat.

Left Front: with smaller needles, cast on 34 (37) sts and work in garter st for 3/4" [2 cm]. Change to larger needles and position sts as foll: selvage st, work 23 (26) sts in garter st, work 8 sts in cable pat B, work 1 st in garter st, selvage st. Inc 4 sts on 3rd row of cable pat as charted - 38 (41) sts. Work in pat as established until same length as back to armhole. Shape armhole at right edge same as for back - 33 (36) sts. Cont in pat as established until same length as back to shoulder. Bind off 19 (22) shoulder sts at right edge - 14 sts remain for left front band. Cast on 1 st at left edge

of front band, then cont in pat as es-1 14 131 ı left front tablished for 4 3/4" h back half 13 (15) [12 cm]. SI sts to h holder. 69 4 Right Front: work sleeve, Chart kev: half 40 $\square = k1$ = p1I'6 I 17 (19) I = M1r= blank squares on charts represent "no stitch" and are included 1 10 1 to keep st count correct = sl5 to cn and hold in front of work, k5, k5 from cn = sl5 to cn and hold in back of work, k5, k5 from cn

Chart A: On WS rows, work sts as they appear • rep . . •

Chart B: On WS rows, work sts as they appear



same as for left front, reversing all shaping and working cable pat A instead of cable pat B.

Left Sleeve: with smaller needles, cast on 30 sts and work in garter st for 3/4" [2 cm]. Change to larger needles and position sts as foll: selvage st, work 10 sts in garter st, work 8 sts in cable pat B, work 10 sts in garter st, selvage st. Inc 4 sts on 3rd row of cable pat as charted -34 sts. Work in pat as established and shape sleeve as foll: inc 1 st each end of needle every 8th row

12

16 113 (15)141

12

4

5 times, then every foll 6th row 5 times - 54 sts. Work increased sts in garter st. Cont in pat as established until sleeve measures 18" [46 cm] from beg. 55 Bind off 20 sts at beg of next 2 rows. Work remaining 10 sts in pat as

established for 5 (6)" [13 cm], (15)then bind off all sts and at same time, k3tog over cable pat.

needle, cable needle [cn]. Rib Pattern: p2, k2. St st: k on RS, p on WS. Garter St: k every row. Rev st st: p on RS, k on WS.

Cable Pattern: work according to chart. After row 1, two consecutive WS rows and two consecutive RS rows are worked. After having worked 1 of the 2 WS [RS] rows, sts are slid to other end of circular needle, where appropriate color is ready to be worked.

Stripe Pattern: rows 1-4: worked in garter st with grey/black. Row 5: with slate/natural: selvage st, * yo, k1, rep from *, selvage st. Row 6: with slate/natural: selvage st, * sl2 pwise, dropping yo's, sl elongated sts back to LH needle, pass 2nd st over first st, p 2nd st, then p first st, rep from *, selvage st. Rows 7-10: worked in garter st with grey/black. Rows 11-14: worked in St st with slate/natural. Work rows 1-14 once, then repeat rows 1-10 once - 24

Pattern Stitch: multiple of 6 sts + 3 + 2 selvage sts. Row 1 [RS]: selvage st, * k3, p3, rep from *, end k3, selvage st. Row 2 [WS]: p. Repeat rows 1 and 2 throughout.


Full-fashioned decreases: at beg of row, selvage st, k1, SKP [sl1 kwise, k1, psso]; at end of row, work to last 4 sts, k2tog, k1, selvage st.

Back: with grey/black, cast on 131 sts and work in cable pat according to chart, working 1 additional selvage st at each edge, until 72 chart rows have been worked and back measures approx. 6 1/4" [16 cm]. Next, work in stripe pat for 24 rows. dec 2 sts over each cable crossing on first stripe pat row - 103 sts and shape sides as foll: bind off 1 st at beg of next 2 rows, then dec 1 st each end of needle every alternating 2nd and 4th row 6 times - 89 sts. Next, with slate/natural, work in pat st for 2" [5 cm], then work remainder of back with grey/black in pat st. After having worked a total of 4" [10 cm] in pat st, shape raglan armhole: bind off 1 st at beg of next 2 rows. Working full-fashioned decs, dec 1 st each end of needle every foll 4th row 3 times, then every other row 24 times. When back measures 21 3/4" [55 cm] from beg, bind off remaining 31 sts.

Front: work same as for back to armhole. Shape raglan armhole: bind off 1 st at beg of next 2 rows. Working full-fashioned decs dec 1 st each end of needle every 4th row 3 times, then every every other row 21 times. At same time, when front measures 19 3/4" [50 cm], Shape neck: work to center 15 sts. join another ball of varn, bind off center 15 sts. work to end. Working both sides at same time, bind off 3 sts at each neck edge once amd 2 sts 3 times. Bind off remaining 2 sts.

Left Sleeve: with grev/black, cast on 68 sts and work in cable pat according to chart, working 1 additional selvage st at each edge, until 24 chart rows have been worked and sleeve measures approx. 7 3/4" [20 cm]. Next, work in stripe pat for approx. 3 1/4" [8 cm], dec 2 sts over each cable crossing on first stripe pat row - 54 sts and shape sleeve as foll: inc 1 st each end of needle every 10th row 6 times. Next, work in pat st and work 14 rows each with slate/natural, grey/ black and slate/natural, then work remainder of sleeve in grey/black. At same time, when sleeve measures 18 1/2" [47 cm] from beg, work raglan sleeve cap shaping at right edge same as for back raglan armhole and at left edge same as for front ragian armhole. After all decs have been worked at left edge, bind off 4 sts at left edge once, 3 sts once and 2 sts 3 times.

Right Sleeve: work same as for left sleeve, reversing all shaping.



sleeves. With grey/black, pick up and k approx. 92 sts around neck edge. Join for working in rnds and work in rib pat for approx. 7" [18 cm]. Bind off all sts.

Chart Chart shows RS and WS rows




Chart key:

= k1= p10

= sl1 pwise wyib = sl1pwise wyif

= sl3 to cn and hold in front of work, k3, s13 from cn pwise wyib = sl3 to cn and hold in

front of work, sl3 pwise wyib, k3 from cn A = grey/black

B - slate/natural

DESIGN 7

RIBBED RAGLAN SWEATER Size 36/38 (40/42) Finished Bust 37 (41)" Length 26"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 16 (17) balls (approx. 132yd/120m each) of Lana Grossa Cool Wool Big (100% extrafine merino wool) in light grey (col 616); size 6 [4mm] needles, size 6 [4mm] circular needle, cable needle [cn].

Rib Pattern: on RS rows, * p2, k4, rep from *. On WS rows, work sts as they appear.

Full-fashioned decreases: at beg of row, selvage st, k2, SKP [sl1 kwise, k1, pssol; at end of row, work to last 5 sts k2tog, k2, selvage st.

Center Cable: work according to

Gauge: 23 sts and 29 rows = 4" [10 cm] in rib pat, slightly stretched.

Back: cast on 100 (122) sts and

work in rib pat as foll: selvage st, p1, k4, * p2, k4, rep from *, end p1, selvage st. Work in rib pat as established until back measures 19 1/4" [49 cm] from beg. Shape raglan armhole: bind off 1 st at beg of next 2 rows. Working full-fashioned decs, dec 1 st each end of needle every other row 24 times. When raglan armhole measures approx. 6 3/4" [17 cm], bind off remaining 60 (72) sts.

Front: work same as for back until front measures 17 1/4" [44 cm] from beg. Work center 34 sts in center cable pat for 30 rows, then work all sts in rib pat as established. Work raglan armhole shaping same as for back.

Sleeves: cast on 50 sts and work in rib pat as foll: selvage st, p1, k4, p2, k4, rep from *, end p1, selvage st. Work in rib pat as established and shape

(15,5) 1 13 | 10,51 1 10,51 7,51 17 17 sleeve, 66 | front and half back, half 48 17 1 11 I 1 23,5 (26) 1

sleeve as foll: inc 1 st each end of needle every 8th row 14 times, then every foll 6th row 4 times. Work increased sts into rib pat - 86 sts. Cont in rib pat as established until sleeve measures 19" [48 cm] from beg. Shape raglan sleeve cap same as for back armholes, then bind off remaining 36 sts.

Finishing: pin pieces to measurements and block with damp towels. Sew raglan, side and sleeve seams. With circular needle, pick up and k 148 (164) sts around neck edge. Join for working in rnds and work in k2, p2 rib for approx. 11 3/4" [30 cm], then bind off all sts loosely.

DESIGN 8

STRIPED SWEATER Size 38/40 (42/44) Finished Bust 41 (44)" Length 30 1/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 6 (7) balls (approx. 154yd/140m each) of Lana Grossa Alta Moda Alpaca (90% baby alpaca, 5% merino wool, 5% polyamide) in black (col 6) and approx. 3 (4) balls each in silver grey (col 12) and dark grey (col 22) and approx. 2 (3) balls in light

Chart kev:




= sl1 to en and hold in back of work, k4, p4 from cn

= sl4 to cn and hold in front of work, p1, k4 from cn

= sl4 to cn and hold in back of work, k4, k4

= sl4 to cn and hold in front of work, k4, k4 from cn Chart

On WS rows, work sts as they appear



needles, size 9-10 [5.5-6mm] circular needle.

St st: k on RS, p on WS. St st in rnds: k every rnd. Rev st st: p on RS, k on WS.

Rev st st in rnds: p every rnd.

Stripe Sequence: rows 1-16: * rows black, 2 rows silver grey, rep from *. Rows 17-32: * 2 rows black, 2 rows dark grey, rep from *. Rows 33-48: * 2 rows black, 2 rows light grey, rep from *. Repeat rows 1-48 throughout.


Gauge: 19 sts and 26 rows = 4" [10 cm] in St st and stripe sequence.

grey (col 21). Size 9-10 (5.5-6mm] Back: with black, cast on 112 (120) sts. Work in St st, foll stripe sequence and shape sides as foll: dec 1 st each end of needle on 15th row from cast-on, then every foll 16th row 6 times more - 98 (106) sts. Cont as established until back measures 19" [48 cm] from beg. Cast on 2 sts at beg of next 4 rows and 3 sts at beg of foll 4 rows - 118 (126) sts. Cont as established until back measures 29 1/4" [74 cm] from beg. Shape shoulders: bind off 9 (10) sts at each shoulder edge twice and 10 (12) sts once. SI remaining 62 sts to holder

Front: work same as for back. Sleeves: with black, cast on 47 sts. Work in St st, foll stripe sequence and shape sleeve as foll: inc 1 st each end of needle on 7th row from cast-on, then every foll 8th row 13 times more - 75 sts. Cont as established until sleeve measures 17 3/4"[45 cm] from beg. Bind off all sts.

Finishing: sew all seams, sew on sleeves. SI 62 back neck sts and 45 62 front neck sts from holders to circular needle. Join for working in rnds, work in St st and foll stripe sequence for 4" [10 cm]. Next, work in rev St st and foll stripe se-

quence for 6" [15 cm], then bind off all sts



DESIGN 9

SADDLE SWEATER WITH SHOULDERS

Size 36/38 (40/42)

Finished Bust: 36 1/4 (39 1/4)"

Length: 24 3/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 12 (13) balls (approx. 137yd/125m each) of Lana Grossa Pashmina (78% extrafine merino wool, 22% cashmere) in grey (col 14); size 7 and 8 [4.5 and 5mm] needles, size 7 [4.5mm] circular needle, cable needle

Rib Pattern: k2, p2.

St st: k on RS; p on WS. Cable Pattern: work accord-

ing to chart. Gauge: 19 sts and 26 rows

= 4" [10 cm] in St st on larger needles; 20 sts in cable pat = approx. 3 1/4" [8 cm].

Back: with smaller needles, cast on 90 (98) sts and work in rib pat for 6 1/4" [16 cm] Chart

as foll: selvage st, p1, k2, * On WS rows, work sts as p2, k2, rep from *, end p1, they appear selvage st. Change to larger needles and work in St st until back measures 19 3/4" [50 cm] from beg. Shape armholes: bind off 4 sts at beg of next 2 rows, 3 sts


at beg of foll 2 rows and 1 st at beg of foll 2 rows - 70 (78) sts. Cont in St st until back measures 24 3/4" [63 cm] from beg. Bind off all sts.


Front: work same as for back.

Left sleeve: with smaller needles, cast on 42 sts and work in

rib pat same as for back for 6 3/4" [17 cm]. Change to larger needles and work as foll: selvage st, work 11 sts in St st, work 18 sts in cable pat according to chart, inc 2 sts on first row of cable pat as charted = 20 sts, work 11 sts in St st, selvage st - 44 sts. Cont in pat as established and shape sleeve as foll: inc 1 st each end of needle every 6th row 12 times, then every foll 4th row twice - 72 sts. Cont in pat as established until sleeve measures 19 3/4" [50 cm] from beg. Shape sleeve cap:

1 10 1 7 11 51 10 1





at beg of foll 2 rows, 2 sts Repeat rows 7-18 throughout

Chart key:

 $\square = k1$ - = p1

 $\mathbf{v} = \mathbf{M}11$ = sl2 to cn and hold in front of work, p1, k2 from cn

= sl1 to cn and hold in back of work, k2, p1 from cn

= sl2 to cn and hold in front of work, k2, k2 from cn

= sl2 to cn and hold in back of work, k2, k2 from cn

of next 2 rows, 2 sts at beg of foll 2 rows, 1 st at beg of foll 24 rows and 2 sts at beg of foll 2 rows - 34 sts remain for saddle shoulder. Cont in pat as established for 3 1/4 (4)" [8 (10) cm]. Next, work as foll: selvage st, work next 10 sts in pat as established, bind off 4 sts and sl remaining 19 sts to holder and work right side of saddle shoulder first as foll: bind off 1 st at left edge twice, then work even until piece measures 4" [10 cm] from bind-off row. Bind off all sts. SI 19 sts from holder to needle and work left side of saddle shoulder as foll: bind off 8 sts at right edge once, 4 sts once, 3 sts twice and 1 st once.

Right Sleeve: work same as for left sleeve, reversing all shaping.

Finishing: pin pieces to measurements and block with damp towels. Sew saddle shoulders between back and front shoulders. Sew saddle shoulders tog at center back neck, then sew side edges of saddle shoulders to back neck edge. Sew in sleeves. With circular needle, pick up and k 100 sts around neck edge. Join for working in rnds and work in rib pat for 1 1/4" [3 cm]. Bind off all sts.

DESIGN 10

SWEATER

Size 36/38 (40/42)

Width at Lower Edge 36 1/4 (39 1/4)"

Length 20 1/2"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 10 (11) balls (ap-

prox. 121yd/110m each) of Lana Grossa Windsor (55% merino wool, 31% superkid mohair, 14% polyamide) in grey (col 8); size 8 [5mm] needles, size 8 [5mm] circular needles, cable needle [cn]. Two 9 3/4" [25 cm] lengths of 3/4" [2 cm] wide elastic band.

St st: k on RS, p on WS.

Garter st: k every


Moss st: row 1: k1, p1; row 2: k the k sts, p the p sts; row 3: p1, k1; row 4: rep row 2; rep rows 1-4.

Cable Pattern 1-4: work according to charts 1-4.

Gauge: 18 sts and 26 rows = 4" [10 cml in St st: 16 sts and 32 rows = 4' [10 cm] in garter st.

Sweater is worked side to side in one piece. Cast on 46 sts for left sleeve and work in rib pat for 1 1/2' [4 cm]. Inc 36 sts evenly across last WS row of rib pat - 82 sts. Next, position sts as foll: selvage st, work

Chart show RS rows only; on WS rows, work sts as they appear or according to chart key.




Repeat rows 1-52 throughout

pat 1, work 14 sts in moss st, work 23 sts in cable pat 2, work 10 sts in St st, selvage st. Work in pat as established until piece measures 7"

Chart 2

Chart show RS rows only; on WS rows, work sts as they appear or according to chart key



Repeat rows 1-52 throughout

Chart 3

On WS rows, work sts as they appear





Chart 4

On WS rows, work sts as they appear



Repeat rows 1-8 throghout

10 sts in St st, work 23 sts in cable [18 cm] from rib pat. Inc 1 st each end of needle on next row, then every foll 6th row 4 times, then every foll 4th row 3 times, then every other row twice. Cast on 2 sts at beg of



next 6 rows and 3 sts at beg of foll 4 rows - 126 sts. Work increased sts in St st. Cont in pat as established until piece measures 15" [38 cm] from rib pat. Cast on 43 sts at beg of next 2 rows - 212 sts and po-

sition sts as foll: selvage st, work 23 sts in garter st, work 16 sts in St st, work 26 sts in cable pat 3, work next 80 sts in pat as established, work 26 sts in cable pat 4, work 16 sts in St st, work 23 sts in garter st, selvage st.

Chart key:

= k1

111

74

=

11/-

= p1.

= 1 st in moss st = sl2 to cn and hold in back of work, k1, k2

= sl1 to cn and hold in front of work, k2, k1 from cn

> = sl1 to cn and hold in front of work, k3, work st from cn in moss st

= sl3 to cn and hold in front of work, work 1 st in moss st, k3 from cn

= sl3 to cn and hold in front of work, p1, k3 from cn

= sl1 to cn and hold in back of work, k1, k1 from cn

= sl2 to cn and hold in back of work, k2, k2 from cn

= sl2 to cn and hold in front of work, k2, k2 from cn

= sl5 to cn and hold in front of work, k5, k5 from cn

= sl5 to cn and hold in back of work, k5, k5 from cn

Work in pat as established until piece measures 19" [48 cm] from rib pat. Next, work 106 back sts and sl to holder, work across remaining 106 front sts and shape front neck as foll: bind off 2 sts at right edge once, then every other row once, then bind off 1 st at right edge every other row twice and 1 st every foll 4th row once. Work in pat as established until piece measures 24 (24 3/4)" [61 (63) cm] from rib pat. Shape right side of front neck same as for left side, casting on instead of binding off. Next, work across back and front sts for 2nd

half of sweater, continue to work in pat as established and shape side edge and sleeve same as for first half of sweater, binding off instead of casting on and decinstead of inc. When 2nd half of sweater measures same as first half, bind off 46 right sleeve sts.

Finishing: sew side and sleeve seams. Fold sleeve cuffs in half to WS and sew in place to form casing, enclosing elastic band. With circular needle, pick up and k 95 sts around neck edge. Join for working in rnds and work in k3, p2 rib pat for approx. 2" [5 cm]. Bind off all sts.

DESIGN 11

JACKET Size 38/40 Finished Bust 39 1/4" Length 24 1/4"

Materials: approx. 10 balls (approx. 99yd/90m each) of Lana Grossa Pernoi (50% merino wool, 50% acrylic) in light grey (col 12); size 11 [8mm] needles, size 10 1/2 and 11 [6.5 and 8mm] circular needle, cable needle [cn].

Rib Pattern: p2, k2. Garter st: k every row.

Cable Pattern: work according to chart.

Gauge: 16 sts and 16 rows = 4" [10 cm] in cable pat on larger needles; 11 sts and 22 rows = 4" [10 cm] in garter st on larger needles.

Jacket is worked in one piece across shoulders, beg at lower edge of left front. Cast on 35 sts. Working first st after selvage st as k1, work in rib pat for 4" [10 cm]. Next, work in cable pat according to chart, working pat rep 4 times and dec 1 st on first row of cable pat -

34 sts. Cont in pat as established until left front measures 20 1/2" [52 cml from beg. Shape front neck: bind off 3 sts at left edge once, 1 st 3 times. Cont in pat as established until left front measures 24 1/4" [62 cml from beg. SI remaining 28 sts to holder. Next, work right front same as for left front, reversing all shaping. Next, work 28 left front sts from holder to needle, cast on 26 sts for back, work 28 right front sts from holder to needle - 82 sts. Work in cable pat according to chart, working pat rep 10 times, until back measures 20 1/2" [52 cm]. Next work in rib pat for 4" [10 cm], then bind off all sts.

Sleeves are 19 1 16 picked up 10 and worked -17 from the top down. Place markers 6 3/4" [17 cm] down 38 left front sleeve, I 35 half | 52 and back, from shoulhalf ders on fronts and back. Pick 14 10 up and k 38 15 sts between 151


markers, work in garter st and shape sleeve as foll: dec 1 st each end of needle every 14th row 6 times - 26 sts. Cont in garter st until sleeve measures 15" [38 cm] from beg. Inc 1 st each end of needle on next row, then every foll 4th row 4 times more - 36 sts. When sleeve measures 20 1/2" [52 cm] from beg, bind off all sts.

Finishing: sew side and sleeve seams. Right front band: with smaller circular needle, beg at lower edge of right front and ending at neck shaping, pick up and k 64 sts along right front edge. Work in rib pat for 3 1/4" [8 cm], working first and last st as selvage sts. Bind off all

> sts. Beg at neck shaping and end at lower edge of left front, work left front

Chart

On WS rows, work sts



Repeat rows 1-8 throughout

band same as for right front band. Collar: with larger circular needle, pick up and k 46 sts around neck edge and work as foll: selvage st, * p2, k1, rep from *, end p2, selvage st. Work in pat as established for 2 rows. Next [inc] row: inc [M1r] 1 st after every other k1. Work in pat as established for 2 rows. Next [inc] row: inc [M1r] 1 st after every k1. Change to smaller circular needle and work in p2, k2 pat until collar measures 6" [15 cm] from beg. Bind off all sts loosely.

Chart key:

 $\square = k1$ - = p1

= sl2 to cn and hold in back of work, k2, k2 from cn

= sl2 to cn and hold in front of work, k2, k2

from cn ----= sl2 to cn and hold in front of work, p2, k2

from cn = sl2 to cn and hold in 4--back of work, k2, p2 from cn

DESIGN 12

CABLE SWEATER WITH FAIR ISLE SLEEVES

Size 36/38 (40/42)

Finished Bust 35 1/2 (38 1/2)" Length 21 1/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 13 (14) balls (approx. 88yd/80m each) of Lana Grossa Bingo (100% wool) in natural (col 5); approx. 2 balls (approx. 148yd/135m each) each of Lana Grossa Cinque (53% merino wool, 47% acrylic) in olive/copper/black (col 24) and rust/copper/wine (col 15). Size 7-8 [4.5-5mm] needles, size 7 [4.5mm] circular needle.

Garter st: k every row. St st: k on RS, p on WS.

Fair Isle Patterns 1-4: work according to charts 1-4. Work pat rep throughout. Loosely carry strand not in use across WS of work. Charts show RS and WS rows.

Cable Pattern: work according to chart

Fair Isle pattern sequence: * 8 rows chart 1, 8 rows chart 2, 8 rows chart 3, 16 rows chart 4, rep from * throughout.

Gauge: 17 sts and 24 rows = 4" [10 cm] in St st with Bingo; 26 sts and 24 rows = 4" [10 cm] in cable pat, slightly stretched: 19 sts and 20 rows = 4" [10 cm] in Fair Isle pat.

Back: with Bingo, cast on 86 (94) sts. K 1 WS row, then position sts as foll: selvage st, work 10 (14) sts

in St st, work 64 sts in cable pat according to chart, working pat rep 4 times, work 10 (14) sts in St st, selvage st. On chart row 3, inc 6 sts in each pat rep as charted - 110 (118) sts. Work in pat as established until back measures 13 3/4" [35 cm] from beg. Shape armholes: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows and 1 st at beg of foll 4 rows - 96 (104) sts. Cont in pat as established until back measures

21 1/4" [54 cm] from beg. Bind off all sts and at same time, k3tog over first and 3rd cable crossing, k2tog over 2nd cable crossing.


Front: work same as for back until front measures 19" [48 cm] from beg. Shape neck: work to center 24 sts, join another ball of varn, bind off center 24 sts and dec sts over cable crossings as for back, work to end. Working both sides at same time, bind off 3 sts at each neck edge once, 2 sts 3 times and 1 st once. Sleeves: with Cinque in rust/copper/wine. cast on 78 sts. Work in garter st for 2 rows, then work in Fair Isle pats, following Fair Isle pat sequence and shape sleeve as foll: dec 1 st each end of needle everv 8th row 6 times - 66

sts. Cont in pat as established until sleeve measures 19" [48 cm] from beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows, 1 st at beg of foll 20 rows, 2 sts at beg of foll 2 rows, 3 sts at beg of foll 2 rows, 4 sts at beg of foll 2 rows, then bind off remaining 18 sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular

needle, pick up and k approx. 74 sts around neck edge. Join for working in rnds and work in St st for 2 1/4" [6 cm], P1 rnd, k1 rnd, p1 rnd, then bind off all sts. Sew side and sleeve seams. Sew in sleeves. Color kev:

- = 1 st with Bingo
 - = 1 st with Cinque in olive/copper/black
- = 1 st with Cinque in rust/copper/wine



DESIGN 13

VEST Size 36/38 (40/42) Finished Bust 37 (40 1/4)" Length 26 3/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 12 (13) balls (approx. 44yd/40m each) of Lana Grossa Pelo (60% merino wool, 35% acrylic, 5% polyamide) in natural (col 12); size 10 1/2 - 11 [6.5-8mm] needles, size K-10 1/2 [6.5mm] crochet hook.

Garter st: k every row. St st: k on RS, p on WS.

Gauge: 9.5 sts and 13.5 rows = 4" [10 cm] in St st; 9.5 sts and 16 rows = 4" [10 cm] in garter st.

Back: cast on 47 (51) sts and work in St st until back measures 18" [46 cm] from. Shape armholes: bind off 3 sts at beg of next 2 rows and 1 st at beg of foll 2 rows -39 (43) sts. Cont in St st until back measures 25 1/4" [64 cm] from beg. Shape neck: work to center 7 sts, join another ball of varn, bind off center 7 sts, work to end. Working both sides at same time, bind off 2 sts at each neck edge once and 1 st once. At same time, when back measures 25 1/2" [65 cm], shape shoulders: bind off 7 sts at each

shoulder edge 171 12,5141 once and 6 (8) 3 sts once. 4 Left Front: cast on 24 (26) 26 sts and work in St st until left front measures front and back, half 15" [38 cm]. 46 Shape front neck: dec 1 st at left edge once, then ev-23,5 (25,5) 1 ery foll 6th row

6 times more. At same time, when left front measures same length as back to armhole, shape armhole at right edge same as for back and when same length as back to shoulder, shape shoulder at right edge same as for back.

from en

Right Front: work same as for left front, reversing all shaping.

Left Collar Half: cast on 24 sts. work in garter st and shape collar as foll: dec 1 st at right edge every 10th row 5 times - 19 sts. Cont in garter st until piece measures 17 3/4" [45 cm] from beg. Bind off 4 sts at right edge once and 5 sts 3 times.

Right Collar Half: work same as for left collar half, reversing all shaping. Finishing: sew shoulder seams. Sew collar halves tog, then sew shaped edges of collar to neck edge. Sew side seams. With crochet hook, work 1 row sl st along front edges and collar edge.

If desired, pull strands to RS for a more furry look.

DESIGN 14

CABLE SWEATER AND HAT Size 38/40

Finished Bust 36 1/4" Length 20 1/2"

= s17 to cn and hold in front of work, p1, k7

Materials: sweater: approx. 12 balls (approx. 60yd/55m each) of Lana Grossa Mille II (50% extrafine, superwash merino wool, 50% polyacryl) in orange (col 51); hat: approx 1 ball in orange (col 51); size 10 1/2 and 11 [6.5mm and 8] needles; one set each size 10 1/2 and 11 [6.5 and 8mm] double pointed needles [dpns], cable needle [cn].

Rib Pattern: k2, p2

St st: k on RS; p on WS.

Rev st st: p on RS; k on WS

Cable Pattern A: work according to chart A.

Cable Pattern C: worked over 4 sts. Row 1: k4. Rows 2 and 4: p4. Row 3: sl2 to cn and hold in back of work, k2, k2 from cn. Repeat rows 1-4 throughout.

Cable Pattern D: work same as for cable pat C, holding sts on cn in front of work.

Gauge: 12 sts and 14 rows = 4" [10 cml in St st on larger needles; 4 sts = approx. 1 1/4" [3 cm] in cable pat C and D; cable pat A = approx. 11 3/4" [30 cm].

Back: with smaller needles, cast on 50 sts. Beg with a WS row, work in rib pat for 2" [5 cm] as foll: selvage st, p1 * k2, p2, rep from *, end k2, p1, selvage st. On last WS row of rib pat, inc 10 sts evenly across center 30 sts as foll: k1f&b every 3rd st -60 sts. Change to larger needles and position sts as foll: selvage st, work 9 sts in rib pat (k1, p2, k2, p2, k2), work 40 sts in cable pat A according to chart A, work 9 sts in rib pat (k2, p2, k2, p2, k1), selvage st. Work in pat as established until back measures 11 3/4" [30 cm] from beg. Bind off 2 sts at beg of next 2 rows. Next, work first 4 sts after selvage st in cable pat C, work in pat as established to last 5 sts, work 4 sts in cable pat D, selvage st and shape raglan armhole as foll: dec 1 st each end of needle every other row 16 times as foll: p2tog first 2 sts after cable pat C and p2tog last 2 sts before cable pat D. When back measures 20 1/2" [52 cml from beg, bind off remaining 24 sts

Front: work same as for back to armhole. Shape raglan armhole: dec 1 st each end of needle every other row 14 times and at same time, when front measures 19" [48 cm] from beg, shape neck: work to center 14 sts, join another ball of yarn, bind off center 14 sts and at same time k2tog 4 times, work to end. Working both sides at same time, bind off 3 sts at each neck edge once and 2 sts

measures 19 3/4" [50 cm] from beg, bind off remaining 2 sts.

once. When front

Left Sleeve: with smaller needles, cast on 30 sts and work in rib pat same as for back. On last WS row of rib pat, inc 6 sts 48 evenly across center 12 sts as foll: k1f&b every other st - 36 sts. Change to larger needles and position sts as

foll: selvage st. work 7 sts in rib pat (p1, k2, p2, k2), work 3 sts in rev St st, work 6 sts cable B according to chart A, work 2 sts in St st, work 6 sts cable A according to chart A, work 7 sts in rib pat (k2, p2, k2, p1), selvage st. Work in pat as established and shape sleeve as foll: inc 1 st each end of needle every 12th row once, then every foll 8th row 5 times. Work increased sts into rib pat. Cont in pat as established until sleeve measures 18" [46 cm] from beg. Next, work first 4 sts after selvage st in cable pat C, work in pat as established to last 5 sts. work 4 sts in cable pat D, selvage st and shape right edge of raglan sleeve cap same as for back armhole and shape left edge same as for front armhole. After all decs have been worked at left edge, bind off 9 sts at left edge once and at same time, k2tog 3 times, then bind off 3 sts at left edge once and k2tog once, then bind off remaining 2 sts.

Right Sleeve: work same as for left sleeve, reversing all shaping.

Finishing: sew raglan seams. With circular needle, pick up and k 68 sts around neck edge. Join for working in rnds and work in rib pat for 1 1/2" [4 cm], then bind off all sts. Sew side and sleeve seams.

Hat: with smaller dpns, cast on 60 sts. Arrange evenly on 4 needles - 15 sts per needle. Join for working in rnds and work in rib pat for 6 rnds. Change to larger dons and position sts as foll: work 13 sts in rev St st. inc 5 sts evenly across next 17 sts and at same time, work these 22 sts according to center of chart A (= cable/bobble pat), work 13 sts in rev St st, inc 5 sts evenly across next 17 sts and at same time, work these 22 sts according to center of chart A (= cable/bobble pat) - 70 sts. Work in pat as established for 7 rnds. Next [dec] rnd: * work in rev St st to 2 sts before cable/bobble pat, p2tog, work 22 sts in cable/ bobble pat, p2tog, rep from * once more - 66 sts. Rep dec rnd every other rnd 3 times more, then every rnd twice more - 46 sts. After having worked through last chart rnd of cable/bobble pat, work all sts in rib pat and dec 7 sts over each cable/bobble pat on first row of rib pat - 32 sts. Work in rib pat as established for 2 rnds. Next [dec] rnd: k2, p2tog around. Work in k2, p1 rib pat for 1 rnd. Next [dec] rnd: k2tog, p1 around - 16 sts. Next [dec] rnd: k2tog around - 8 sts. Cut varn, draw yarn end twice through remaining 8 sts, pull tight and weave in end. Make large pompom and sew to top of hat.

DESIGN 15

FAIR ISLE SWEATER Size 38/40 Finished Bust 37 3/4" Length 26 3/4"

Materials: approx. 6 balls (approx. 154yd/140m each) of Lana Grossa Carezza (30% silk, 30% baby alpaca, 25% merino wool, 15% viscose) in natural (col 8); approx. 3 balls (approx. 110vd/100m each) of Lana Grossa Royal Tweed (100% extrafine merino wool) in fuchsia (col 54) and approx. 1 ball each in pistachio (col 68), turquoise/petrol blue (col 61), copper (col 63) and grey/brown (col 44). Size 8-9 [5-5.5mm] needles, size 8 [5 mm] circular needle.

Rib Pattern: k2, p2.

cable A

St st: k on RS, p on WS.

Fair Isle Patterns 1-6: work according to charts 1-6. Loosely carry strand not in use across WS of work. Charts show RS and WS rows

Fair Isle pattern sequence: * 8 rows chart 1, 18 rows chart 2, 10 rows chart 3, 23 rows chart 4, 7 rows chart 5, 4 rows chart 6, rep from * throughout.

Gauge: 16.5 sts and 18 rows = 4" [10 cm] in Fair Isle pats.

Back: with Carezza, cast on 83 sts and work in St st for 3/4" [2 cm], ending with a RS row. K next WS row for turning ridge, then work in St st for 3/4" [2 cm]. Next, work in Fair Isle pats, following Fair Isle pat sequence until back measures 19" [48 cm] from beg. Shape armholes: bind off 8 sts at beg of next 2 rows - 67 sts. Cont in pat as established until back measures






Chart A Chart shows RS rows only; on WS rows, work sts as they appear





according to chart B. On foll RS row,

p2tog last leaf st and next st

26 3/4" [68 cm] from beg. Bind off all sts.

Front: work same as for back until front measures 24" [61 cm] from beg. Shape neck: work to center 9 sts, join another ball of yarn, bind off center 9 sts, work to end. Working both sides at same time. bind off 3 sts at each neck edge once, 2 sts 3 times and 1 st once. When front neck measures 2 3/4"

Chart 2


[7 cm] in depth, bind off remaining 19 sts for each shoulder.

Sleeves: with Carezza, cast on 41 sts and work same as for back until sleeve measures 4 3/4" [12 cm] in Fair Isle pats. Shape sleeve: inc 1 st each end of needle on next row, then every foll 6th row 5 times, then every foll 4th row 7 times - 67 sts. Work increased sts into pat. When sleeve measures

21 1/4" [54 cm] from beg, bind off all sts

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular needle and Carezza, pick up and k 84 sts around neck

edge. Join for working in rnds and work in rib pat for 14 1/4" [36 cm]. Bind off all sts. Sew side and sleeve seams. Fold bottom hem and sleeve hems to WS at turning ridge and sew down.



000 000 pat rep

DESIGN 16


RIB AND CABLE SWEATER WITH COWL

Size 38/40 (42/44) Finished Bust 37 3/4 (41)" Length 30"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Chart key: = k1= p1= sl2 to cn and hold in front of work, k2, k2 from cn = sl2 to cn and hold in back of work, k2, k2 from cn = sl1 to cn and hold in back of work, k2, p1 from cn = sl2 to cn and hold in front of work, p1, k2 from cn

Chart On WS rows, work sts as they appear



Materials: sweater: approx. 13 (14) balls (approx. 99vd/90m each) of Lana Grossa Alta Moda Cashmere (80% merino wool, 20% cashmere) in turquoise (col 2); cowl: approx.

Size 10 - 10 1/2 [6-6.5mm] needles, size 10 [6mm] circular needle, cable needle [cn].

Rib Pattern: k2, p2.

front and

back, half

24 (26)

10 1 9 1 5 1

Cable Pattern: work according to

Gauge: 17

sts and 19.5

sleeve.

half

161 111

14

a WS row, k 3 rows and inc 14 sts evenly on last row - 88 (96) sts. Next, position sts as foll: selvage st; beg with p1, k2, p2, work 23 (27) sts in rib pat, work 40 sts in cable pat according to chart; beg with k2, p2 and end with p1, work 23 (27) sts in rib pat, selvage st. Work in pat as established until back measures 22 1/2" [57 cm] from beg. Shape armholes: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 4 rows and 1 st at beg of foll 2 rows.

rows = 4" [10 cm] in rib pat, slightly

stretched: 40 sts = approx. 8 1/4"

Back: cast on 74 (82) sts. Beg with

[21 cm] in cable pat.

Front: work same as for back until front measures 27 1/2" [70 cm] from beg. Shape neck: work to

Bind off remaining 72 (80) sts.

Cont in pat as established until back

measures 30" [76 cm] from beg.

center 8 sts, join another ball of yarn, bind off center 8 sts, work to end. Working both sides at same time, bind off 4 sts at each neck edge twice and 3 sts twice. When same length as back to shoulders, bind off remaining 18 (32) sts for each shoulder.

Sleeves: cast on 38 sts. Working first st after selvage st as p1 and last st before selvage st as p1, work in rib pat and shape sleeve as foll: inc 1 st each end of needle every 8th row 11 times - 60 sts. Work increased sts into rib pat. Cont in pat as established until sleeve measures 19" [48 cm]. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows,

1 st at beg of foll 18 rows, 2 sts at beg of foll 4 rows and 3 sts at beg of foll 2 rows. Bind off remaining 18

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular needle, pick up and k approx. 82 sts around neck edge. Join for workin in rnds. K 1 rnd, p 1 rnd for approx. 1 1/4" [3 cm], then bind off all sts. Sew side and sleeve seams Sew in sleeves.

COWL

cast on 60 sts and work in rib pat, working first and last st as selvage sts. When piece measures approx. 31 1/2" [80 cm] from beg, bind off all sts. Sew cast-on and bind-off edge tog. cast on 60 sts and work in rib pat, working first and last st as selvage sts. When piece measures approx. 31 1/2" [80 cm] from beg, bind off all sts. Sew cast-on and bind-off edge tog.

DESIGN 17

FAIR ISLE YOKE SWEATER Size 38/40 Finished Bust 41 (44)" Length 30 1/4"

Materials: approx. 7 balls (approx. 154yd/140m each) of Lana Grossa Alta Moda Alpaca (90% baby alpaca, 5% merino wool, 5% polyamide) in natural (col 14) and approx. 1 ball each in green (col 23), dark red/black (col 17) and turquoise (col 8). Size 8 and 9-10 [5 and 5.5-6mm] needles, size 9-10 [5.5-6] circular needles, shorter and longer length.

Rib Pattern: k2, p2. St st: k on RS; p on WS. St st in rnds: k every rnd.

Fair Isle pat 1: work in St st according to chart 1. Loosely carry strand not in use across WS of work. Work pat rep throughout and work 1 additional selvage st at each edge.

Fair Isle pat 2: work in St st according to chart 2. Loosely carry strand not in use across WS of work. First 9 chart rows are worked in rows. Beg at arrow at left edge of chart, pat is worked in rnds for yoke. Work pat rep around.

Gauge: 17.5 sts and 24 rows = 4" [10 cm] in St st; 17.5 sts and 20 rows = 4" [10 cm] in Fair Isle pat 1 and 2.

Back: with smaller needles and natural, cast on 78 sts. Working first st after selvage st as p1 and last st before selvage st as p1, work in rib pat for 5" [13 cm]. Change to larger needles and work in St st for 10 rows. Cont in St st and shape sides as foll: inc 1 st each end of needle

on next row. Chart then every 10th row once 0

1 15

13

1=

33

131

sleeve,

half

15 BI

front and

I back, half

27

15 | 8 | 4 |

18

33

10

00

0000000

00000000

00000000

0 0 0 0 0 0 0 0

0 0 0 0 0 0 0

000000

0 0 0

00000000

00000000

00000000

00000000

00000000

0 0 0 0

0 0 0

000000

pat rep

0 0 00000000

more - 86 sts. Next, work in Fair Isle pat 1 according to chart 1 for 22 rows. Next, work in Fair Isle pat 2 according to chart 2 for 9 rows and dec 1 st each end of needle on last row - 84 sts. SI sts to holder.

Front: work same as for back

Sleeves: with smaller needles and natural, cast on 42 sts. Working first st after selvage st as p1 and last st before selvage st as p1, work in rib pat for 5 1/2" [14 cm]. Change to


larger needles, work in St st and shape sleeve as foll: inc 4,5 1 st each end of needle every 10,5 8th row 3 times, then every foll 6th row 7 times. At same time. when sleeve measures 7 1/2" [19 cm] from rib pat, work in Fair Isle pat 1 according to chart 1, centering pat over sleeve. Next, work in Fair Isle pat 2 according to chart 2 for

9 rows and dec 1 st each end of needle on last row – 60 sts. SI sts = 1 st with green

Yoke: sl 84 front sts, 60 right sleeve I = 1 st with turquoise sts, 84 back sts and 60 left sleeve $\cdot = k2tog$ sts from holders to longer circular \blacksquare = blank squares on charts represent needle - 288 sts. Join for workin in rnds. Beg at arrow at right edge of

ing to chart 2, working pat rep 24 times around and working decs as charted - 96 sts. Change to shorter circular needle as st count decreases. Work to end of chart. Change to natural, k 1 rnd, then work in rib pat

Finishing: pin pieces to measurements and block with damp towels. Sew side and sleeve seams.



Color key:

- = 1 st with natural
- = 1 st with dark red/black

- "no stitch" and are included to keep st count correct

chart, work in Fair Isle pat 2 accordfor 3 1/2" [9 cm]. Bind off all sts. Chart 1

111

Chart 2

1

pat rep

DESIGN 18

SWEATER WITH FAIR ISLE **BORDERS**

Size 42/44

Finished Bust 42 1/2"

Length 26 1/2"

Materials: approx. 8 balls (approx. 99yd/90m each) of Lana Grossa Alta Moda Cashmere (80% merino wool, 20% cashmere) in turquoise (col 2), approx. 4 balls in white (col 11) and approx. 3 balls in yellow/green (col 18). Size 10 [6mm] needles, size 10 [6mm] circular needle.

Rib Pattern: k1, p1. St st: k on RS; p on WS.

St st in rnds: k every rnd.

Fair Isle Pat: work in St st according to chart. Loosely carry strand not in use across WS of

Gauge: 15 sts and 21 rows = 4" [10 cm] in St st; 15 sts and 19 rows = 4" [10 cm] in Fair Isle

Back: with turquoise, cast on 83 sts and work in rib pat for 2" [5 cm]. Next, work in St st until back measures 6" [15 cm] from beg, then work in Fair Isle pat according to chart as foll: selvage

Color kev: st, work pat rep to = 1 st with white last 2 sts, work last • = 1 st with yellow/green chart st, selvage • =1 st with turquoise

chart, then work remainder of back in St st with turquoise. When back measures 19 1/4" [49 cm] from beg, shape armholes: bind off 4 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows and 1 sts at beg of foll 2 rows - 69 sts. Cont in St st until back measures 26 1/2" [67 cm] from beg. Shape shoulders: bind off 12 sts at each shoulder edge once, sl remaining 45 sts to holder.

Front: work same as for back.

Sleeves: with turquoise, cast on 45 sts and work in rib pat same as for back. Next, work in St st and shape sleeve as foll: inc 1 st each end of needle every 14th row 5 times. At same time, when sleeve measures 4" [10 cm] from beg, work in Fair Isle pat according to chart, centering pat over sleeve. Work to end of chart, then work remainder of sleeve in St st with turquoise and shape sleeve cap: bind off 4 sts at beg of next 2 rows, 3 sts at beg of foll 2 rows, 1 st at beg of foll 20 rows, 2 sts at beg of foll 2 rows and 3 sts at beg of foll 2 rows. Bind off remaining 11 sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. SI 45 back neck sts and 45 front neck sts from holders to circular needle. Join for workin in rnds. Work in St st for 3 1/4" [8 cm], then work in rib pat for 1" [2.5 cm]. Bind off all sts. Sew side st. Work to end of and sleeve seams. Sew in sleeves. vage st, work 10 (14) sts in brioche

DESIGN 19

pat rep

BRIOCHE STITCH AND CABLE **SWEATER**

Size 36/38 (40/42)

TII

Finished Bust 36 1/4 (39 1/4)" Length 22 3/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 17 (18) balls (approx. 88yd/80m each) of Lana Grossa Bingo (100% wool) in mustard (col 127); size 6 and 7 [4 and 4.5mm] needles, size 7 [4.5mm] circular needle, cable needle [cn].

Rib Pattern: p1, k1.

Brioche Stitch: Row 1: * p1, k1, rep from *, end p1. Row 2: k1, yo, sl1 pwise, k1, rep from *. Row 3: * p1, k2tog next st and yo, rep from *. Row 4: * k1, yo, sl1 pwise, rep from *. Repeat rows 3 and 4 throughout.

Cable Pattern: work according to chart.

Gauge: 17 sts and 32 rows = 4" [10 cm] in brioche st, slightly stretched; 25 sts and 28 rows = 4" [10 cm] in cable pat and Brioche st.

Back: with smaller needles, cast on 87 (95) sts. Working first st after selvage st as p1, work in rib pat for 2 3/4" [7 cm]. Change to larger needles and position sts as foll: selst, end with yo, sl1 pwise; * work 14 sts in cable pat according to chart, inc 5 sts on first chart row as charted; beg and end with yo, sl1 pwise, work 5 sts in Brioche st; rep from * 3 times, work 14 sts in cable pat; beg with yo, sl1 pwise, work 10 (14) sts in Brioche st, selvage st - 112 (120) sts. Work in pat as established until back measures 15 1/4" [39 cm] from beg. Shape armholes: bind off 4 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows and 1 st at beg of foll 4 rows - 96 (104) sts. Cont in pat as established until back measures 22 3/4" [58 cm] from beg. Bind off all sts and at same time, k3tog over first, 3rd and 5th cable crossing and k2tog over 2nd and 4th cable crossina.

Front: work same as for back until front measures 20 1/2" [52 cm] from beg. Shape neck: work to center 16 sts, join another ball of varn, bind off center 16 sts, work to end. Working

both sides at same time, bind off 4 sts at each neck edge once, 3 sts once, 2 sts 3 times and 1 st twice. Cont in pat as established until front measures same length as back to shoulders. Bind off remaining 25 (29) sts for each shoulder and at same time, work decs over cable crossings same as for back.

Sleeves: with smaller needles, cast on 39 sts and work in Brioche st for 2 rows. Change to larger needles. cont in Brioche st and shape sleeve as foll: inc 1 st each end of needle every 16th row 3 times, then every foll 14th row 7 times. Work increased sts into Brioche st - 59 sts. Cont in pat as established until sleeve measures 18 1/2" [47 cm] from beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows, 1 st at beg of foll 6 rows, * Work 2 rows even. Bind off 1 st at beg of foll 2 rows. Rep from * 4 times, then bind off 1

st at beg of foll 12 rows, 2 sts at beg [11 cm]. Bind off all sts. Sew side of foll 2 rows, then bind off remain- and sleeve seams. Sew in sleeves. ing 17 sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular needle, pick up and k 90 sts around neck edge. Join for working in rnds and work in rib pat for 4 1/4"





Chart for Cable Pattern

On WS rows, work sts as they appear



Repeat rows 3-16 throughout

Chart key:

= k1p1 M1r

> = M11= blank squares on charts represent "no stitch" and are included to keep st count correct

= sl5 to cn and hold in front of work, k5, k5 from cn

DESIGN 20

HOODIE Size 38/40 Finished Bust 37 3/4" Length 11" to yoke

Materials: approx. 16 balls (approx. 60yd/55m each) of Lana Grossa Superbingo (100% extrafine merino wool) in natural (col 16); size 10 and 10 1/2 [6 and 6.5mm] needles, size 10 1/2 [6.5mm] circular needles, shorter and longer length, size 10 [6mm] circular needle.

Rib Pattern: k2, p2. St st: k on RS, p on WS. Garter st: k every row.

Star Pattern: work according to chart 1

Textured Pattern: work according to chart 2

Yoke Pattern: work according to chart 3

Full-fashioned decreases: at beg of row, selvage st, k1, k2tog; at end of row, work to last 4 sts, SKP [sl1 kwise, k1, psso], k1 selvage st.

Full-fashioned increases: work M1r inc, 2 sts in from each edge.

Gauge: 13 sts and 18 rows = 4" [10 cm] in St st on larger needles.

Back: with smaller needles, cast on 54 sts and work next WS row as foll: selvage st, p1, * k2, p2, rep from

*, end k2, p1, selvage st. Work in rib pat as established for 2 1/4" [6 cm]. Inc 13 sts evenly across last WS row of rib pat -67 sts. Change to larger needles and work in St st until back measures 9

1/2" [24 cm] from beg. Working fullfashioned decs, dec 1 st each end of needle on next row, then every other row 4 times more. SI remaining 57 sts to holder.

Front: work same as for back to end of rib pat. Work in St st for 6 rows, then position sts as foll: selvage st, work 13 sts in St st, work 39 sts in star pat according to chart 1, work 13 sts in St st, selvage st. Work in pat as established until front measures 9 1/2" [24 cm] from beg. Work decs same as for back. SI remaining sts to holder.

Sleeves: with larger needles, cast on 38 sts. Work in garter st for 3 rows, then work in St st for 3 1/2" [9 cm]. Next, work in rib pat same as for back and dec 4 sts evenly on first rib pat row - 34 sts. Cont in rib pat until sleeve measures 6 3/4" [17 cm] from beg. Next, work in textured pat according to chart 2 as foll: selvage st, work pat rep to last 2 sts, work last chart st, selvage st. Work in textured pat as established and shape sleeve as foll: working

full-fashioned incs, inc 1 st each end of needle every 10th row 4 times - 47 sts. Work to end of chart, then cont in St st until sleeve measures 17 3/4" [45 cm] from beg. Work decs same as for back. SI remaining 37 sts to holder.

sts. 37 right sleeve sts and 57 back sts from holders to larger, longer circular needle - 188 sts. Join for same time, k2tog all selvage sts -

180 sts. Next, work in voke pat according to chart 3, working pat rep around and decreasing as charted - 75 sts. Dec 3 sts evenly on rnd 34 - 72

Hood: work yoke sts to 4 sts before center





Chart 1 On WS rows, p all sts

Yoke: sl 37 left sleeve sts. 57 front and work as foll: selvage st. * k2. p3, rep from *, end k2, selvage st. Cast on 7 sts at end of row - 79 sts. Work in pat as established for 4 working in rnds, k 1 rnd and at rows. Next [dec] row: p2tog in every other p3 rib segment. Work even

Chart 2 Chart 3 On WS rows, p all sts Chart shows every rnd






Chart key:

 $\square = k1$

= p1

= k2tog

= blank squares on charts represent "no stitch" and are included to keep st count correct

for 4 rows. Next [dec] row: p2tog in every p3 rib segment - 64 sts. Work in k2, p2 rib until hood measures 10 1/4" [26 cm] from beg, ending with a WS row. Mark first and last of center 22 sts. Next RS [dec] row: work to 1 st before next marked st, k2tog, work 20 sts in rib pat as established, k2tog tbl, work

to end. Next WS [dec] row: work to 1 st before next marked st, p2tog tbl, work 20 sts in rib pat as established, p2tog, work to end. Work last 2 dec rows 4 times more. Next. sl sts on either side of the center 22 sts to spare needles and work as foll: * k2tog tbl last of the center 22 sts with next st; turn work, sl1, work

in rib pat to last of the center 22 sts. p2tog last of the center 22 sts with next st, turn work, sl1. Repeat from * until only the 22 center sts remain. SI these 22 sts to holder.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With smaller circular needle, pick up and k 28 sts along right edge of hood, k22 from holder to needle, pick up and k 28 sts along left edge of hood - 78 sts. Work in St st for 6 rows, then bind off all sts. Sew side and sleeve seams. Sew down left side of hood at neck edge.

DESIGN 21

VEST Size 38/40 Finished Bust 36 1/4" Length 22 3/4"

Materials: approx. 4 balls (approx. 154yd/140m each) of Lana Grossa Carezza (30% silk, 30% baby alpaca, 25% merino wool, 15% viscose) in grey/brown (col 4) and approx. 1 ball in natural (col 8); size 8 and 9 [5 and 5.5mm] needles, size 8 [5mm] circular needle.

Rib Pattern: k2, p2, St st: k on RS, p on WS.

Fair Isle Pat: work in St st according to chart. Loosely carry strand not in use across WS of work.


Gauge: 17 sts and 24 rows = 4" [10] cm] in St st on larger needles; 17 sts and 19 rows = 4" [10 cm] in Fair Isle pat.

Front: with smaller needles and

main color. cast on 82 sts. Working first 3 sts after selvage st as p1, k2 and last st before selvage st as p1, work in rib pat for 4 3/4" [12 cm]

Change to

larger needles,



work in St st until front measures 7" [18 cm] from beg and dec 1 st on first St st row - 81 sts. Next, work in Fair Isle pat according to chart as foll: selvage st, beg chart pat at arrow, work pat rep twice, selvage st. Work to end of chart, then work remainder of front in St st with main color. When front measures 15 3/4" [40 cm] from beg, shape armholes: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 4 rows and 1 st at beg of foll 4 rows - 63 sts. Cont in St st until front measures 17 3/4" [45 cm] from beg. Shape V-neck: work to center st, join another ball of varn, bind off center st, work to end. Working both sides at same time, dec 1 st at each neck edge every other row 14 times. When Vneck measures 5" [13 cm], bind off remaining 17 sts for each shoulder. Back: work same as for front, omitting Fair Isle pat and working entirely in St st with main color after rib pat. When same length as front to armhole, shape armholes same as for front and when back measures 22 3/4" [58 cm] from beg, shape neck: work to center 15 sts, join another ball of varn, bind off center 15 sts, work to end. Working both sides at same time, bind off 4 sts at each neck edge once and 3 sts once. When same length as front to shoulders, bind off remaining 17 sts for each shoulder.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular needle and main color, pick up and k 103 sts around neck edge. Join for working in rnds. Making sure

center V st is a knit st, work in rib pat for 1 1/4" cml and dec at center every rnd as foll: work to 1 st before center V st. SKP Isl1 kwise. k1, pssol. work to end. Bind off all sts. With circular needle and main color, pick up and k 90 sts around armhole edge and work in rib

pat for 1"


[2.5 cm].

Rind off all sts. Sew side seams incl armhole trim seams.

Color key:

= grey/brown \square = natural

Chart Chart show RS and WS rows



DESIGN 22

Cardigan Size 38/40 Finished Bust 36 1/4" Length 22 3/4"

Materials: approx. 14 balls (approx. 66yd/60m each) of Lana Grossa Alta Moda Kid (60% merino wool, 40% kid mohair) in amaranth (col 2) and approx. 2 balls each in turquoise (col 10) and blackberry (col 6); size 11 [8mm] circular needle. Belt, if desired: approx. 1 ball in amaranth (col 2).

Rib Pattern: k2, p2


St st: k on RS; p on WS.

Rev st st: p on RS; k on WS. Main Pattern: *3 rows St st, 3 rows

rev St st, rep from * throughout. Fair Isle Pat: work in St st according to chart. Loosely carry strand not in use across WS of work.


Gauge: 12 sts and 18 rows = 4" [10 cml in main pat: 12 sts and 14 rows = 4" [10 cm] in Fair Isle pat.

Back: with main color, cast on 65 sts and k 3 rows. Cast-on row is considered row 1. Next, work in



main pat until back measures 15 1/4" [39 cm] from beg. Shape sleeves: inc 1 st each end of needle on next row. Cast on 3 sts at beg of next 2 rows, 5 sts at beg of foll 4 rows, 7 sts at beg of foll 2 rows and 9 sts at beg of foll 2 rows - 125 sts. Cont in pat as established until back measures 19 1/4" [49 cm] from beg and ending main pat with 3 rows rev St st. Next, work in Fair Isle pat according to chart as foll: selvage st, beg chart pat with last 11 sts of pat rep, work pat rep 6 times, end with first 4 sts of pat rep. selvage st. Work to end of chart. With main color, work 1 row in St st; beg with 3 rows rev St st, work in main pat until back measures 27 1/4" [69 cm] from beg. Shape shoulders: bind off 9 sts at each shoulder edge 6 times and at same time, when back measures 28 3/4" [73 cm] from beg, shape neck: work to center 7 sts, join another ball of yarn, bind off center 7 sts,

Chart Chart shows RS and WS rows



Color key:

- $\square = 1$ st in turquoise
- = 1 st in blackberry

work to end. Working both sides at same time, bind off 3 sts at each neck edge once and 2 sts once.

Left Front: with main color, cast on 24 sts and k 3 rows. Next, work in main pat until left front measures same length as back to sleeve. Shape sleeve at right edge same as for back – 54 sts. Cont same as for back to beg of Fair Isle pat. Work

Fair Isle pat according to chart as foll: selvage st, beg chart pat with last 11 sts of pat rep, work pat rep 2 times, end with first 5 sts of pat rep, selvage st. Work to end of chart, then work remainder of left front same as for back, incl shoulder shaping.

Right Front: work same as for left front, reversing all shaping.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. Right front band and collar: with circular needle, beg at lower edge of right front and end at center back neck, pick up and k 123 sts. Next WS row: working first st after selvage st as k1 and last 2 sts before selvage st as p2, work in rib pat for 6

1/4" [16 cm]. Bind off all sts. Beg at center back neck and end at lower edge of left front, work left front band collar same as for right front band and collar. Sew left and right collar bands tog at center of back neck. Sew side and sleeve seams. Belt: with main color, cast on 9 sts and work in k1, p1 rib pat for approx. 67" [170 cm]. Bind off all sts.

DESIGN 23

COAT Size 40/42 Finished Bust 36 1/4" Length 35 1/2"

Materials: approx. 15 balls (approx. 88yd/80m each) of Lana Grossa Bingo melange (100% wool) in brown (col 207); approx. 7 balls (approx. 148yd/135m each) of Lana Grossa Cinque (53% merino wool, 47% acrylic) in black/ brown/taupe (col 33); approx. 5 balls (approx. 88yd/80m each) of Lana Grossa Felpa (60% microfiber [polyamide], 40% superfine merino wool) in grey/brown (col 19). Size 8 and 10 [5 and 6mm] needles, size 11 [8mm] circular needle, one set size 8 [5mm] double-pointed needles [dpns].

Rib Pattern: k2, p2. St st: k on RS; p on WS. Rev st st: p on RS; k on WS.

Garter st: k every row.

Chevron Pattern 1 and 2: work according to chart 1 and 2.

Gauge: 21 sts and 24 rows = 4" [10 cm] in chevron pat on smaller needles.

Back and Fronts are worked in one piece. With Bingo melange and smaller needles, cast on 243 sts and work in chevron pat 1 according to chart 1 as foll: selvage st, work pat rep 10 times, work st after pat rep, selvage st. Work in pat as established until piece measures approx. 7" [17.5 cm] from beg and row repeat has been worked 3.5 times. Shape sides: dec 20 st on next RS row by working p5tog instead of p3tog in every pat rep. Cont in pat as established until piece measures 7 3/4" [20 cm] from last dec row. Work dec row once more -203 sts. Cont in pat as established and work dec row every foll 24th

row twice
more –
163 sts
= 10 pat
reps in
chevron
pat 2.
Cont in
pat as es-

Chart key:

 $\exists = k1$

= p1v = M1r

A = M11
 ▼ = S2KP [sl2 kwise, k1, p2sso]

 $\Delta = p3tog$

A = Bingo melange B = Cinque

tablished until piece measures 26" [66 cm] from beg. Divide for fronts and back as foll: selvage st, work 26 right front sts, bind off 14 sts for right underarm, work 81 back sts. bind off 14 sts for left underarm, work 26 left front sts, selvage st. Work fronts and back separately until fronts and back measure 8 3/4" [22 cm] from underarm bindoff. Shape shoulders: for right front, bind off 6 sts at right edge 3 times, 9 sts once. For back, bind off 6 sts at each shoulder edge 3 times, 9 sts once. For left front, bind off 6 sts at left edge 3 times, 9 sts once.

Bind off remaining sts. Sew shoul-

der seams.

Next, work sleeves from the top down as foll: with smaller needles and Cinque, pick up and k 93 sts along armhole edge and work as foll: selvage st, work 6 sts in St st; beg with chart row 7, work 5 pat reps of chevron pat 2, work 5 sts in St st, selvage st. When working with Bingo melange, work the 6 sts before and the 5 sts after the pat reps in rev St st. Work in pat as established until sleeve measures 1 1/2" [4 cm] from beg. Shape 90 sleeve: cont in pat as established and dec 1 st each end of needle on next row, then every foll 8th row 9 times more. Cont in pat as established until sleeve measures approx. 14 1/2" [37 cm] from beg and

row repeat has been worked 7.5 times. SI remaining 73 sts to holder. Sew sleeve seam. SIsts from holder to dpns and join for working in rnds. With Bingo melange, work in rib pat for 7 3/4" [20 cm] and at same time, k2tog the selvage sts on first rnd – 72 sts. Bind off all sts.

Pockets [make 2]: with Bingo melange and smaller needles, cast on 35 sts and work in chevron pat 2 according to chart 2 as foll: selvage st, work pat rep twice, work st after pat rep, selvage st. Cont in pat as established until pocket measures approx. 5" [12.5 cm] and row repeat has been worked 2.5 times. Change to size 11 [8mm] needle and with Felpa held double, work in garter st for 1/2" [1.5 cm] and at same time, dec 17 sts evenly on first garter st row. Bind off all sts.

Finishing: sew side seams. With circular needle, Felpa held double and beg at lower edge of right front,






Chart 1
Chart shows RS rows only; on WS rows, work sts as they appear.



Repeat rows 1-12 throughout.



pick up and k approx. 225 sts along right front, back neck and left front edge. Work in garter st for 4 3/4" [12 cm], then bind off all sts. Sew pockets to right and left front, approx. 10 1/4" [26 cm] up from lower edge. If desired, work a matching belt as foll: with Bingo melange and size 8 [5mm] needles, cast on 15 sts and work in St st for approx. 51" [130 cm]. Bind off all sts.

DESIGN 24

SHORT DRESS/TUNIC Size 38/40 Finished Bust 36 1/4" Length 28 1/4"

Materials: approx. 8 balls (approx. 99yd/90m each) of Lana Grossa Pernoi (50% merino wool, 50% acrylic) in mocha (col 9); approx. 1 ball (approx. 71yd/65m) each of Lana Grossa Uno (52% merino wool, 48% acrylic) in pistachio/rust/

Chart key:

= knitted background in mocha = work 1 duplicate st (= 1 st and 1 row) with pistachio/rust/black

= work 1 duplicate st (= 1 st and 1 row) with turquoise/black

pat rep

black (col 4) and turquoise/black end of needle every 14 row 4 times (col 6). Size 11 [8mm] needles, size 11 [8mm] circular needle.

Rib Pattern: k2, p2. St st: k on RS; p on WS.

Duplicate Stitch: work according to chart on knitted background.

Full-fashioned decreases: at beg of row, selvage st, k1, k2tog; at end of row, work to last 4 sts. SKP [sl1 kwise, k1, psso], k1, selvage st.

Gauge: 12 sts and 16 rows = 4" [10 cm] in St st with Pernoi.


Back: with Pernoi, cast on 66 sts. Working first st after selvage st as p1 and last st before selvage st as p1, work in rib pat for 4 " [10 cm]. Dec 3 sts evenly on last WS row of rib pat - 63 sts. Next, work in St st and shape sides as foll: working full-fashioned decs, dec 1 st each - 55 sts. Cont in St st until back measures 28 1/4" [72 cm] from beg. Shape neck: work to center 23 sts. join another ball of varn. bind off center 23 sts. work to end. Working both sides at same time. bind off 2 sts at each neck edge once and 1 st once. At same time. when back measures 28 3/4" [73 cml from beg, shape shoulders: bind off 4 sts at each shoulder edge twice and 5 sts once.

Front: work same as for back until front measures 24 1/4" [62 cm] from beg. Shape neck: work to center 17 sts, join another ball of yarn, bind off center 17 sts, work to end. Working both sides at same time, bind off 2 sts at each neck edge once, 1 st every other row 3

times and 1 st every foll 4th row once. When same length as back to shoulders, shape shoulders same as for back.

Finishina: pin pieces to measurements and block with damp towels. Work duplicate stitch according to chart on front and back, approx. 16 1/2" [42 cm] up from lower edge. Center chart at center of front and back. Sew shoulder seams. With circular needle and Pernoi, pick up and k approx. 84 sts around neck edge. Join for working in rnds and work in rib pat for approx. 1 1/4" [3 cm]. Next dec rnd: * k2, p2, k2, p2tog, rep from * around. Work in k2, p2, k2, p1 rib pat for 2" [5 cm]. Next dec rnd: * k2, p2tog, k2, p1, rep from * around and at same time, bind off all sts. Place markers 9 3/4" [25 cm] down from shoulders on front and back. With Pernoi, pick up and k approx. 49 sts between markers and work in rib pat for 1 1/2" [4 cm], ending with a WS

row. Next dec row: * k2, p2, k2, p2tog, rep from * to end of row and at same time, bind off all sts. Sew side seams incl armhole trim seams.



DESIGN 25

RAGLAN SWEATER Size 36/38 Finished Bust 35 1/2" Length 22"

Materials: approx. 10 balls (approx. 44vd/40m each) of Lana Grossa Elle Tweed (42% merino wool, 55% polyacryl, 3% viscose) in red/black (col 103); size 13 and 15 [9 and 10mm] needles, size 13 [9mm] circular needle.

Rib Pattern: k1, p1. St st: k on RS; p on WS.

Full-fashioned decreases: at beg of row, selvage st, k1, k2tog; at end of row, work to last 4 sts, SKP [sl1 kwise, k1, psso], k1 selvage st - 1 st decreased at each edge. At beg of row, selvage st, k1, k3tog; at end of row, work to last 5 sts, SK2P [sl1 kwise, k2tog, psso], k1, selvage st - 2 sts decreased at each edge.

Gauge: 8 sts and 10.5 rows = 4" [10 cm] in St st on larger needles. Back: with smaller needles, cast on

39 sts and work in rib pat for 2 3/4" [7 cm]. Change to larger needles and work in St st until back measures 15" [38 cm] from beg. Shape raglan armhole: working full-fashioned decs. dec 2 sts each end of needle on next row, 1 st each end of needle every other row 6 times and 2 sts every other row 3 times. Bind off remaining 11 sts.


Front: work same as for back to armhole. Shape raglan armhole: working full-fashioned decs, dec 2 sts each end of needle on next row, then every other row 4 times, then dec 1 st each end of needle every other row 3 times. At same time, when front measures 19 1/4" [49 cm] from beg, shape neck: work to center 5 sts, join another ball of varn, bind off center 5 sts, work to end. Working both sides at same time, bind off 3 sts at each neck


edge once and 1 st once.

Left Sleeve: with smaller needles, cast on 19 sts and work in rib pat for 4 1/4" [11 cm]. Change to larger needles, work in St st and shape sleeve as foll: inc 1 st each end of needle every 6th row 6 times - 31 sts. Cont in St st until sleeve measures 18 1/2" [47 cm] from beg. Shape raglan sleeve cap at right edge same as for back armhole, at left edge same as for front armhole. After all decs have been worked at left edge, bind off 2 sts at left edge once, 1 st twice.

Right Sleeve: work same as for left sleeve, reversing all shaping.

Finishing: pin pieces to measurements and block with damp towels. Sew raglan seams. With circular needle, pick up and k approx. 36 cm around neck edge. Join for working in rnds and work in rib pat for 3 1/2" [9 cm]. Bind off all sts. Sew side and sleeve seams.





DESIGN 26

STRIPED SWEATER SIZE 38/40 (42/44) FINISHED BUST 41 (44)" LENGTH 27 1/2"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 6 (7) balls (approx. 44yd/40m each) of Lana Grossa Pelo (60% merino wool, 35% acrylic, 5% polyamide) in eggplant (col 3); approx. 2 balls (approx. 44yd/40m each) of Lana Grossa Lei Color (100% merino wool) in camel/charcoal (col 112); approx. 6 (7) balls (approx. 88yd/80m each) of Lana Grossa Alta Moda Sera (90% merino wool, 10% Lurex) in mocha (col 3): approx. 2 balls (approx. 38yd/35m each) of Lana Grossa Effetto (43% merino wool, 47% acrylic) in grey-brown/grey/black (col 5); size 11 and 13 [8 and 9mm] circular needles.


St st: k on RS; p on WS.

Stripe Sequence: worked in St st throughout as foll: * 6 rows Pelo, 2 rows Lei Color, 2 rows Alta Moda Sera, 2 rows Lei Color, 2 rows Alta Moda Sera, 1 RS row Effeto, 1 RS row Alta Moda Sera, 1 WS row Effetto, 1 WS row Alta Moda Sera, 2 rows Alta Moda Sera, 6 rows Pelo, 2 rows Lei Color, 2 rows Alta Moda Sera, 2 rows Lei Color, 2 rows Alta Moda Sera, 2 rows Pelo, 1 RS row Effetto, 1 RS row Alta Moda Sera, St st and stripe sequence until

1 WS row Effetto, 1 WS row Alta Moda Sera, 2 rows Alta Moda Sera, rep from * throughout, Note: since 2 RS rows and 2 WS rows are sometimes worked successively, stripe sequence should be worked with circular needle. After having worked 1 of the 2 RS [WS] rows, sts are slid to other end of circular needle, where appropriate yarn is ready to be worked.

Gauge: 7.5 sts and 14 rows = 4" [10 cm] in St st and stripe sequence on larger needles. Back: with Pelo, cast on 47 (51) sts. Work in St st, follow stripe sequence and shape sides as foll: dec 1 st each end of needle every 16th row 3 times - 41 (45) sts. Cont in

back measures 19 3/4" [50 cm] from beg. Shape armholes: bind off 4 sts at beg of next 2 rows - 33 (37) sts. Cont in St st and stripe sequence until back measures 26 1/2" [67 cm] from beg. Shape neck: work to center 7 sts, join another ball



center 7 sts, work to end. Working both sides at same time, bind off 5 sts at each neck edge once. When back measures approx. 27 1/2" [70 cm] from beg, bind off remaining 8 (10) sts for each shoulder.

Front: work same as for back until front measures 25 1/4" [64 cm]. Shape neck: work to center 5 sts. join another ball of yarn, bind off center 5 sts, work to end. Working both sides at same time, bind off 3 sts at each neck edge once, 2 sts once and 1 st once. When same length as back to shoulders, bind off remaining 8 (10) sts for each shoulder.

Sleeves: with Pelo, cast on 20 sts. Work in St st, follow stripe sequence and shape sleeve as foll: inc 1 st each end of needle every

10th row 6 times - 32 sts. Cont in St st and stripe sequence until sleeve measures 19 3/4" [50 cm]. Bind off all sts.

Sleeves: with Pelo, cast on 20 sts. Work in St st, follow stripe sequence and shape sleeve as foll: inc 1 st each end of needle every 10th row 6 times - 32 sts. Cont in St st and stripe sequence until sleeve measures 19 3/4" [50 cm].

Bind off all sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With smaller circular needle and Pelo, pick up and k approx. 50 sts around neck edge. Join for working rnds and work in St st for approx. 1 1/2" [4 cm]. Bind off all sts. Sew side and sleeve seams, sew in sleeves.

DESIGN 27

CROCHETED SWEATER WITH SEPARATE COWL

Size 38/40

Width at Lower Edge 37 3/4" Length 26 3/4"

Materials: sweater: approx. 5 balls (approx. 121vd/110m each) of Lana Grossa Windsor (55% merino wool, 31% superkid mohair, 14% polyamide) in green/ olive (col 5): approx. 5 balls (approx. 247vd/225m each) of Lana Grossa Fumato (42% extrafine merino wool, 40% polyamide, 18% baby alpaca) in light/dark petrol blue (col 6); size G/6 [4mm] crochet hook.

Cowl: 1 ball each Windsor and Fumato.

Double Crochet [dc]: multiple of 4 +1+3 turning ch. Work according to chart 1. Work pat rep between arrows throughout. Work row 1 once, then repeat rows 2 and 3 throughout.

Pattern Stitch: multiple of 6 + 1 + 1 turning ch. Work according to chart 2. Work rows 1 and 2 once, then repeat rows 3-6 throughout. Two consecutive RS rows, 1 row with Fumato and 1 row with Windsor are worked, followed by two

consecutive WS rows. Work pat rep between arrows throughout. Gauge: 15 sts and 7.5 rows = 4" [10 cm] in double crochet with Windsor: 17 sts and 10.5 rows = 4" [10 cm] in pat st.

Sweater is worked in one piece across shoulders, beg at lower front edge. With Windsor, ch61 + ch3 and work dc according to chart 1 for 6 rows and work measuring approx. 3 1/2" [9 cm]. Next row: work sc. inc 25 sts evenly across row - 86 sts. Next, work in pat st according to chart 2 until work measures 11 1/2" [29 cm] from beg. Shape sides and sleeves: inc 1 st at each edge once, then every foll row 6 times. Inc 2 sts at each edge every foll row twice, 3 sts 5 times and 4 sts 4 times. Work increased sts into pat st - 170 sts. Cont in pat as established until work measures 18" [46 cm] from bea. Ch30 at each edge for sleeves. Work increased sts into pat st - 230 sts. Cont in pat as established until back measures 23 1/2" [60 cm] from beg and shoulder line has been reached. On next row, leave center 42 sts unworked for neck. On foll row, ch42 over unworked sts and work 2nd half of sweater, from shoulder line to lower edge of back same as for first half, dec

to shape sleeves and sides. When 2nd half measures 23 1/2" [60 cm] from shoulder line, fasten off.

Finishing: sleeve cuffs: with Windsor, work 1 row of 33sc along sleeve edge, then work dc according to chart 1 until sleeve cuff measures approx. 3 1/2" [9 cm]. Fasten off. Sew side and sleeve seams. With Windsor, work 1 rnd sc. 1 rnd rev sc [work

sc from left to right] around neck edge. Fasten off.

Cowl: with Windsor, ch120, join for working in rnds and work in pat st according to chart 2, working pat rep around. When cowl measures approx. 9 1/2" [24 cm], fasten off.

Chart key:

= 1ch=1sc




Chart 1 Repeat rows 2 and 3 throughout






Chart 2 Repeat rows 3-6 throughout





= dc5tog in same st, ch1

= on RS row work 3dc, then 1dc in same st as first of the

= on WS row work 3dc, then 1dc in same st as first of the

A = Fumato $\mathbf{B} = \text{Windsor}$

DESIGN 28

ARAN SWEATER Size 38/40 (42/44) Finished Bust 37 3/4 (41)" Length 22 3/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 9 (10) balls (approx. 110yd/100m each) of Lana Grossa Royal Tweed (100% extrafine merino wool) in copper (col 63); approx. 5 balls (approx. 231yd/210m each) of Lana Grossa Silkhair (70% superkid mohair, 30% silk) in petrol blue (col 23); size 9 and 10 [5.5 and 6mm] needles, size 9 [5.5mm] circular needle, cable needle [cn].

Rib Pattern: k1, p1.

St st: k on RS; p on WS.

Cable Pattern A, B, C and D: work according to charts A, B, C and D

Note: work with 1 strand Royal Tweed and 1 strand Silkhair held tog throughout.

Gauge: 17.5 sts and 19 rows average 4" [10 cm] in cable pat C and D; 13.5 sts and 19 rows = 4" [10 cm] in St st.

Back: with smaller needles and 1 strand Royal Tweed and 1 strand Silkhair held tog. cast on 75 (81) sts. Working first st after selvage st as p1, work in rib pat for 2 3/4" [7 cm]. Inc 10 sts evenly across last WS row of rib pat - 85 (91) sts. Change to larger needles and position sts as

foll: selvage st, work 2 (5) sts in St st, work 6 sts in cable pat A, work 20 sts in cable pat C, work 27 sts in cable pat D, work 20 sts in cable pat C, work 6 sts in cable pat B, work 2 (5) sts in St st, selvage st. Work in pat as established until back measures 15" [38 cm] from beg. Shape armholes: bind off 4 sts at beg of next 2 rows, 2 sts at beg of foll 4 rows and 1 st at beg of foll 2 rows - 67 (73) sts. Cont

in pat as established until back

Chart A On WS rows, work sts as they appear. Repeat rows 1-4


throughout

Chart B On WS rows, work sts as they appear. Repeat rows 1-4

throughout

measures 22 3/4" [58 cm]. Bind off all sts and at same time, dec 2 sts [k3tog] each over cable pat A, D and B and dec 1 st [k2tog] each over cable pats C.


Front: work same as for back until front measures 20" [51 cm] from beg. Shape neck: work to center 13 sts, join another ball of yarn,



bind off center 13 sts, work to end. Working both sides at same time, bind off 3 sts at each neck edge once, 2 sts 3 times and 1 st once. When same length as back to shoulders, bind off remaining

Chart C


On WS rows, work sts as they appear.



Repeat rows 1-24 throughout

Chart D

On WS rows, work sts as they appear



Repeat rows 1-4 throughout

rib pat - 42 sts. Change to larger needles and position sts as foll: selvage st, work 4 sts in St st, work 6 sts in cable pat A, work 20 sts in cable pat C, work 6 sts in cable pat B, work 4 sts in St st, selvage st. Work in pat as established and

Chart key:

 $\square = k1$ = p1

WS row of

= sl2 to cn and hold in front of work, k2,

= sl2 to cn and hold in back of work, k2, k2 from cn

= sl2 to cn and hold in front of work, p1, k2 from cn

= sl1 to cn and hold in back of work, k2, p1 from cn = bobble: [k1, k1tbl] twice in same st.

turn work, sl first st pwise, p3, turn work. Pass 2nd, 3rd and 4th st, one at a time, over first st

= on RS rows, sl1 pwise wyib; on WS rows, p

shape sleeve as foll: inc 1 st each end of needle every 12th row 3 times, then every foll 10th row 4 times - 56 sts. Work increased sts in St st. Cont in pat as established until sleeve measures 19" [48 cm] from beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows, 1 st at beg of foll 20 rows, 2 sts and beg of foll 2 rows and 3 sts at beg of foll 2 rows. Bind off remaining 16 sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular needle and 1 strand Royal Tweed and 1 strand Silkhair held tog, pick up and k approx. 80 sts around neck edge. Join for working in rnds and work in rib pat for 1 1/4" [3 cm], Bind off all sts. Sew side and sleeve seams, sew in sleeves.

DESIGN 29

COAT Size 38/40 (42/44) Finished Bust 45 (48)" Length 33 3/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 19 (20) balls (approx. 44vd/40m each) of Lana Grossa Elle Tweed (42% merino wool, 55% polyacryl, 3% viscose) in rust/black (col 104): size 13-15 [9-10mm] needles, size 13-15 [9-10mm] circular needle. 3 toggles [by Union Knopf, item 59764, col 68).

St st: k on RS; p on WS.

Garter st: k every row.

Full-fashioned decreases: at beg of row, selvage st, k1, SKP [sl1 kwise, k1, pssol; at end of row, work to last 4 sts, k2tog, k1, selvage st.

Full-fashioned increases: work

M1r inc, 2 sts in from each edge. Gauge: 9 sts and 12 rows = 4" [10 cml in St st.

17 (20) sts for each shoulder.

Sleeves: with smaller needles and

1 strand Royal Tweed and 1 strand

Silkhair held tog, cast on 35 sts and work in rib pat same as for

back. Inc 7 sts evenly across last

Back: cast on 51 (55) sts. K 1 WS row, then work in St st until back measures 13 1/2" [34 cm] from beg. Cont in St st and shape sides as foll: working fullfashioned decs, dec 1 st each end of needle on next row, then every foll 4th row twice more - 45 (49) sts. Cont in St st until back measures 19 3/4" [50 cm] from beg. Working full-fashioned incs, inc 1 st each end of needle on next row, then every foll 4th row twice, then every other row 4 times - 59 (63) sts. Cont in St st until back measures 33 3/4" [86 cm] from beg. Bind off 20 (22) sts at each shoulder edge once. SI center 19 sts to holder for hood.


Left Front: cast on 28 (30) sts. K 1 WS row, then position sts as foll: selvage st, work 21 (23) sts in St st, work 5 sts in garter st for front band, work slip st selvage. Work in pat as established and work side shaping at right edge same as for back - 25 (27) sts. Cont in pat as established until same length as back to shoulder. Bind off 20 (22) shoulder sts at right edge. SI remaining 12 sts to holder for hood.

Right Front: work same as for left front, reversing all shaping.

Sleeves: cast on 25 sts and work in garter st for 3 1/4" [8 cm]. Next, work in St st and shape sleeve as foll: inc 1 st each end of needle on first St st row, then every foll 8th row 4 times, working incs as foll: work M1r inc, 1 st in from each edge - 35 sts. Cont in St st until sleeve measures 17" [43 cm] from beg. Bind off all sts.

Finishing: sew shoulder seams. SI 43 hood sts from holders to circular needle and work in pat as established for 1 row. Mark center st. Next inc row: work to center st. M1r. work center st. M1r, work to end. Work inc row every foll 4th row 3 times more - 51 sts. Cont in pat as estab-

lished until hood measures 7 3/4" [20 cm] from beg. Next dec row: work to 2 sts before center st. SKP, work center st, k2tog, work to end. Work dec row every other row 8 times more. Cont in pat as established until hood measures 13 3/4" [35 cm] from beg. Work to center of hood, place hood halves parallel to each other and join sts with Kitchener Stitch. Sew on sleeves. Sew side and sleeve



DESIGN 30

COAT Size 38/40 Finished Bust 36 1/4" Length 32 1/2"

Materials: approx. 7 balls (approx. 154yd/140m each) of Lana Grossa Carezza (45% silk, 30% baby alpaca, 25% merino wool) in charcoal (col 12); approx. 1 ball (approx. 231yd/210m) of Lana Grossa Silkhair (70% superkid mohair, 30% silk) in dark grey (col 12); approx. 1 ball (approx. 57yd/52m) of

Lana Grossa Colore (53% merino wool, 47% polyacryl) in dark grey/ charcoal (col 8); size 9 [5.5mm] needles, size E/4 [3.5mm] crochet hook, 1 magnetic silver button [by Union Knopf, item 583831.


Lace Pattern: work according to chart.

Crocheted Ruffle: row 1: sc. Row 2: 3ch, * skip 1sc, 1ch, 1dc, rep from * to end. Row 3: 3ch * 2ch, [1dc, 2ch, 1dc] into arch, rep from * to end. Row 4: work same as

Gauge: 15 sts and 23 rows = 4" [10 cm] in lace pat with Carezza.

Back: with Carezza, cast on 87 sts and work in lace pat according to chart as foll: selvage st, beg chart pat with st before pat rep, work 6-st pat repeat 13 times, end with sts after pat rep, selvage st. Work in pat as established until back measures 7 3/4" [20 cm] from beg. Shape sides: cont in pat as established and dec 1 st each end of needle on next row, then every foll 4th row 11 times more - 63 sts. Make sure each yo in the lace pat is paired with a decrease. Cont in pat as established until back measures 17 3/4" [45 cm] from beg. Inc 1 st each end

of needle on next row, then every



tablished until back measures 23 1/2" [60 cm] from beg. Shape armholes: bind off 3 sts at beg of next 4 rows, and 2 sts at beg of foll 2 rows. Work 2 rows even, bind off 1 st at beg of foll 2 rows. Cont in pat as established until back measures 31 1/2" [80 cm]. Bind off remaining 57 sts.

Left Front: with Carezza, cast on 45 sts and work in lace pat according to chart as foll: selvage st, beg chart pat with st before pat rep, work 6-st pat repeat 6 times, end with sts after pat rep, selvage st. Work in pat as established and work side and armhole shaping at right edge same as for back. At same time, when left front measures 22" [56 cm] from beg, shape front neck: bind off 1 st at left edge once, then every other row 12 times, then every foll 4th row 7 times. When same

length as back to shoulder, bind off remaining 10 shoulder sts.


Right Front: work same as for left front, reversing all shaping.

Sleeves: with Carezza, cast on 51 sts and work in lace pat according to chart as foll: selvage st, beg chart pat with st before pat rep, work 6-st pat repeat 7 times, end with sts after pat rep, selvage st. Work in pat as established and shape sleeve as foll: dec 1 st each end of needle every alternating 4th and 6th row 6 times - 12 sts. Cont in pat as established until sleeve measures 7" [18 cm] from beg. Inc 1 st each end of needle on next row, then every foll 10th row 5 times more - 51 sts. Cont in pat as established until sleeve measures 17 1/4" [44 cm] from beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows and 1 st at beg


of foll 4 rows. * Work 2 rows even. Bind off 1 st at beg of foll 2 rows. Repeat from * 3 times more, then bind off 1 st at beg of foll 4 rows, 2 sts at beg of foll 2 rows and 3 sts at beg of foll 2 rows. Bind off remaining 15 sts.

Finishing: sew shoulder seams. With crochet hook and Silkhair, work crocheted ruffle along right front, back neck and left front edge. Sew side and sleeve seams. Sew in sleeves. Flowers [make approx. 13]: cut approx. 19 3/4" [50 cm] of Colore. Arrange strands parallel to each other, in a zigzag-like manner, on a flat surface. Run a matching sewing thread through the center of the strands to join. Coil strands into a spiral to form the flower. Sew button halves to right and left front at beg of V-neck shaping. Sew one flower to right

front on top of button, sew remaining flowers to bottom hem and sleeves, using photo as guide.



Repeat rows 1-8 throughout




DESIGN 31

TEXTURED SWEATER WITH STRIPES Size 38/40 (42/44) Finished Bust 37 3/4" Length 28 1/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 3 (4) balls (approx. 154yd/140m each) of Lana Grossa Alta Moda Alpaca (90%



amide) in red-violet (col 18); approx. 8 (9) balls (approx. 231yd/210m each) of Lana Grossa Silkhair (70% superkid mohair, 30% silk) in chestnut (col 16); approx. 2 (3) balls (approx. 209yd/190m each) of Lana Grossa Chiara (70% viscose, 20% superkid mohair, 10% polyamide) in salmon (col 25); approx. 2 (3) balls (approx. 176yd/160m each) of Lana Grossa Evento (65% cotton, 35% extrafine merino wool) in camel/natural (col 23); size 9 and 10 1/2 [5.5 and 6.5mm] needles, size 9 [5.5mm] circular needle.

Rib pattern: k2, p2.

Main Pattern: work with 2 strands of yarn held tog throughout. Multiple of 8 sts + 3 + selvage sts. Work WS rows with same yarn combination as previous RS row. Row 1 [RS]: Silkhair and Alta Moda Alpaca: selvage st, * p3, k5, rep from *, p3 selvage st. Row 2 [WS]: k all sts. Row 3: Silkhair and Chiara: selvage st, * p3, k5, rep from *, p3, selvage st. Row 4: k all sts. Row 5: Silkhair and Evento: selvage st, * p3, k5, rep from *, p3, selvage st. Row 5: Silkhair and Evento: selvage st.

Row 6: k all sts. Repeat rows 1-6 throughout.

Gauge: 14 sts and 22 rows = 4" [10 cm] in main pat on larger needles.

Back: with smaller needles and Alta Moda Alpaca, cast on 70 (74) sts. Working first st after selvage st as p1 and last st before selvage st as p1, work in rib pat for 4 1/4" [11 cm]. Dec 1 st (inc 3 sts) evenly on last WS row of rib pat - 69 (77) sts. Change to larger needles and work in main pat until back measures 19 3/4" [50 cm] from beg. Shape armholes: bind off 2 sts at beg of next 4 rows and 1 st at beg of foll 6 rows - 55 (63) sts. Cont in pat as established until armhole measures 7 3/4" [20 cm]. Shape shoulders: bind off 4 sts at each shoulder edge once, 5 sts twice (6 sts 3 times). Bind off remaining 27 sts.

Front: work same as for back until front measures 26" [66 cm] from beg. Shape neck: work to center 17 sts, join another ball of yarn, bind off center 17 sts, work to end. Working both sides at same time,

bind off 2 sts at each neck edge once, and 1 st 3 times. When same length as back to shoulders, shape shoulders same as for back.

Sleeves: with smaller needles and Alta Moda Alpaca, cast on 38 sts and work in rib pat same as for back. Inc 7 sts evenly across last WS row of rib pat - 45 sts. Change to larger needles, work in main pat and shape sleeve as foll: inc 1 st each end of needle every 18th row 3 times - 51 sts. Work increased sts into main pat. Cont in pat as established until sleeve measures 17 3/4" [45 cm] from beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows, 1 st at beg of foll 24 rows, 2 sts at beg of foll 2 rows, then bind off remaining 13 sts.

Finishing: sew shoulder seams. Turtleneck: with circular needle and Alta Moda Alpaca, pick up and k approx. 76 sts around neck edge. Join for working in rnds and work in rib pat for 8 3/4" [22 cm]. Bind off all sts loosely. Sew side and sleeve seams. Sew in sleeves.

DESIGN 32

CARDIGAN Size 38/40 (42/44)" Finished Bust 39 1/4 (42 1/2)" Length 25 1/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 9 (10) balls (approx. 44yd/40m each) of Lana Grossa Elle (42% merino wool, 58% polyacryl) in plum/black (col 1); size 15 [10mm] needles, cable needle [cn].

Rev St st: p on RS, k on WS.

Cable Pattern A: worked over 6 sts. Rows 1 and 3: k6. Rows 2, 4 and 6: p6. Row 5: sl3 to cn and hold in front of work, k3, k3 from cn. Repeat rows 1-6 throughout.


Cable Pattern B: worked over 6 sts. Rows 1 and 3: k6. Rows 2, 4 and 6: p6. Row 5: sl3 to cn and hold in back of work, k3, k3 from cn. Repeat rows 1-6 throughout.

Gauge: 10 sts and 12.5 rows = 4" [10 cm] in rev St st.

Cardigan is worked in one piece across shoulders, starting at lower edge of right front. Cast on 28 (30) sts and position sts as foll: selvage

st, work 1 st in rev St st, work 6 sts in cable pat A, work 19 (21) sts in rev St st, selvage st. Work in pat as established until right front measures 14 1/2" [37 cm] from beg. Inc 1 st at left edge on next row, then every other row 3 times more. Cast on 8 sts at left edge once and work these 24 I 8 sts as foll: work 6 sts in cable pat A, work 1 st in rev St st, selvage st. _ Cont in pat as established until right front measures 15 3/4" [40 cm] from 40 I beg, ending with a RS row. Shape front neck: work in pat as established to last 8 sts, k2tog, work in pat as established to end. Work front neck decs every foll 8th row

3 times more. Cont in pat as established until right front measures 25 1/4" [64 cm] from beg, ending with a WS row. SI first 8 sts (= selvage st, 1 st rev St st, 6 sts cable pat A)



of cable pat A. Next, sl 27 left front sts from holder to needle, cast on 20 sts for **back**, sl 27 right front sts from holder to needle. Cont in pat as established until back measures 7 3/4" [20 cm] from shoulder line. Bind off 8 sts at beg of next 2 rows, then dec 1 st each end of needle

of cable pat A. Next, sl 27 left front sts from holder to needle, cast on 20 sts for **back**, sl 27 right front sts from holder to needle. Cont in pat as established until back measures 25 1/4" [64 cm] from shoulder line. Bind off all sts.

Finishing: sl 8 right front neck band sts from holder to needle. Cast on 2 sts at left edge of neck band and work sts as foll: selvage st, work 1 st in rev St st, work 6 sts in cable pat A, work 1 st in rev St st, selvage st. Work in pat as established until neck band measures 4" [10 cm]. Bind off all sts. SI 8 left front neck band sts from holder to needle and work same as for right front neck band, reversing all shaping and working cable pat B instead of cable pat A. Sew right and left neck bands tog, then sew side edges of neck bands to back neck edge. Sew side and sleeve seams.

from holder to needle. Cast on 1

DESIGN 33

Cardigan Size 38/40 Finished Bust 41" Length 29 1/2"

Materials: approx. 14 balls (approx. 99yd/90m each) of Lana Grossa Alta Moda Cashmere (80% merino wool, 20% cashmere) in burgundy (col 5); size 10 – 10 1/2 [6-6.5mm] needles, size J/10 [6mm] crochet hook, cable needle [cn]. Four 1" buttons [by Union Knopf].


Rib Pattern: k1, p1.

Garter st: k every row.

Rev st st: p on RS; k on WS.

Cable Pattern 1: worked over 6 sts. Rows 1 and 3: k6. Row 2 and all other WS rows: p6. Row 5: sl3 to cn and hold in front of work, k3, k3 from cn. Row 7: k6. Repeat rows 1-8 throughout.

Cable Pattern 2: work according to chart.



prox. 1 1/4" [3 cm] in cable pat 1; 14 sts = approx. 3 1/4" [8 cm] in cable pat 2.

Left Front: cast on 46 sts and position sts as foll: selvage st, work 39 sts in rib pat, work 6 sts in garter st for front band. Work in pat as established until left front measures 4" [10 cm]. Next, position sts as foll: selvage st, work 2 sts in rev St st, work 6 sts in cable pat 1, work 4 sts in rev St st. work 14 sts in cable pat 2, work 4 sts in rev St st, work 6 sts in cable pat 1, work 3 sts in rev St st, work 6 sts in garter st for front band. Work in pat as established until left front measures 17 3/4" [45 cml from beg. Shape front neck: work in pat as established to last 7 sts, k2tog, work in pat to end. Repeat front neck decs every foll 4th row 6 times, then every foll 6th row 6 times - 33 sts. Cont in pat as established until left front measures 29 1/2" [75 cm] from beg. SI 6 front band sts to holder. Bind off remaining 27 sts.

Right Front: work same as for left front, reversing all shaping and working 4 buttonholes every 3 1/4" [8 cm], working first buttonhole when piece measures 4" [10 cm] from beg as foll: work first 2 sts in pat as established, bind off 2 sts, work in pat as established to end. On foll row, work in pat as established and cast on 2 sts over bound-off sts.

Back: cast on 85 sts and work in rib pat for 4" [10 cm]. Next, position sts as foll: selvage st, work 2 sts in rev St st, work 6 sts in cable pat 1, work 4 sts in rev St st, work 14 sts

in cable pat 2, work 4 sts in rev St st, work 6 sts in cable pat 1, work 11 sts in rev St st, work 6 sts in cable pat 1, work 4 sts in rev St st, work 14 sts in cable pat 2, work 4 sts in rev St st, work 6 sts in cable pat 1, work 2 sts in rev St st, selvage st. Work in pat as established until back measures 28 1/4" [72 cm] from beg. Shape neck: work to center 27 sts, join another ball of varn, bind off center 27 sts, work to end. Working both sides at same time, bind off 2 sts at each neck edge once. When same length as fronts to shoulders, bind off remaining 27 sts for each shoulder.

Sleeves: cast on 38 sts and work in rib pat for 4" [10 cm]. Inc 4 sts evenly across last WS row of rib pat – 42 sts. Next, position sts as foll: selvage st, work 13 sts in rev St st, work 14 sts in cable pat 2, work 13 sts in rev St st, selvage st. Work in pat as established and shape sleeve as foll: inc 1 st each end of needle every 12th row 6 times – 54 sts. Work in pat as established until sleeve measures 20 1/2" [52


cm] from beg.
Bind off all
ete

Chart key: = k1

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. SI right front

band

[selvage] st, then work in garter st for 3 1/2" [9 cm]. Bind off all sts. SI left front band sts from holder to needle and work same as for right front band sts. Sew left and right front bands tog, then sew side edges of front bands to back neck edge. With crochet hook, work 1 row sc along right front, back neck and left front edge. Sew side and sleeve seams. Sew in sleeves. Sew buttons.



sts. = p1 Repeat rows 3-24 throughout Finishing: = p1 = s12 to cn and hold in front of work, k2, k2 from cn

= sl1 to cn and hold in back of work, k1, k1 from cn

= sl2 to cn and hold in front of work, k1, k2 from cn

= sl2 to cn and hold in front of work, p1, k2 from cn

== sl1 to cn and hold in back of work, k2, p1 from cn

DESIGN 34

TOP Size 36/38 (40/42) Finished Bust 33 (36 1/4)" Length 21 1/4"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 3 (4) balls (approx. 209yd/190m each) of Lana Grossa Chiara (70% viscose, 20% superkid mohair, 10% polyamide) in light grey (col 11); size 7 [4.5mm] needles, size 7 [4.5mm] circular

needle.

Seed st: k1, p1; on foll rows, k all p sts, p all k sts.

St st: k on RS; p on WS.

Full-fashioned decreases: at beg of row, selvage st, k5, k2tog; at end of row, work to last 8 sts, SKP [sl1 kwise, k1, psso], k5, selvage st.


Gauge: 25 sts and 34 rows = 4" [10 cm].

Back: cast on 107 (117) sts and work in seed st for 3/4" [2 cm]. Next, work in St st and shape sides as foll: working full-fashioned decs, dec 1 st each end of needle every 8th row 6 times – 95 (105) sts. Cont in St st until back measures 9" [23 cm] from

beg. Inc 1 st each end of needle on next row, then every foll 6th row 5 times more - 107 (117) sts. Cont in St st until back measures 13 3/4" [35 cm] from beg. Shape armholes: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 6 rows and 1 st at beg of foll 4 rows - 85 (95) sts. Cont in St st until back measures 20 3/4" [53 cm] from beg. Shape shoulders: bind off 4 sts at each shoulder edge 3 times and 3 sts twice (5 sts 3 times and 4 sts twice). At same time, when back measures 21 1/4" [54 cm] from beg, shape neck: work to center 29 sts, join another ball of yarn, bind off center 29 sts, work to end. Working both sides at same time, bind off 5 sts at each neck edge twice.

Front: work same as for back until front measures 19 1/4" [49 cm] from

beg. Shape neck: work to center 19 sts, join another ball of yarn, bind off center 19 sts, work to end. Working both sides at same time, bind off 4 sts at each neck edge once, 3 sts



once, 2 sts twice and 1 st 4 times. At same time, when same length as back to shoulders, shape shoulders same as for back.

Finishing: sew shoulder seams. With circular needle, pick up and k approx. 114 sts around neck edge. Join for working in rnds and work in seed st for 3/4" [2 cm]. Bind off all sts. With circular needle, pick up and k approx. 88 sts along armhole edge and work in seed st for 3/4" [2 cm]. Bind off all sts. Sew side seams incl armhole trim seams.

JACKET Size 36/38 (40/42) Finished Bust 37 (40 1/4)" Length 22"

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: approx. 5 (6) balls (approx. 209yd/190m each) of Lana Grossa Chiara (70% viscose, 20% superkid mohair, 10% polyamide) in light grey (col 11) and approx. 4 (5) balls in dark brown (col 8); size 9 and 10 1/2 [5.5 and 6.5mm] needles, size 6 [4mm] circular needle. St st: k on RS: p on WS.

Main Pattern: worked over an odd number of sts. Row 1, dark brown: selvage st, k1, * sl1 pwise wyib, k1, rep from *, selvage st. Row 2, dark brown: selvage st, k1, * sl1 pwise wyif, k1, rep from *, selvage st. Row 3. light grey: selvage st, sl1 pwise wyib, *k1, sl1 pwise wyib, rep from *, selvage st. Row 4. light grey: selvage st, sl1 pwise wyif, *k1, sl1 pwise wyif, rep from *, selvage st. Repeat rows 1-4 throughout. Work selvage sts firmly in garter st.

Gauge: 25 sts and 52 rows = 4" [10 cm] in main pat.

Back: with smaller needles and light grev, cast on 119 (129) sts. Change to larger needles and work in main pat until back measures 2" [5 cm]. Cont in main pat and shape sides as foll: dec 1 st each end of needle on next row, then every foll 12th row twice, then every foll 10th row 3 times. Cont in main pat until back measures 9" [23 cm] from beg. Inc 1 st each end of needle on next row, then every foll 10th row 5 times more - 119 (129) sts. Cont in main pat until back measures 13 1/2" [34 cm] from beg. Shape armholes: bind off 5 sts at beg of next 2 rows. 3 sts at beg of foll 2 rows. 2 sts at beg of foll 4 rows and 1 st at beg of foll 4 rows - 91 (101) sts. Cont in main pat until back measures 20 3/4" [53 cm] from beg. Shape neck: work to center 15 sts. join another ball of varn, bind off center 15 sts. work to end. Working both sides at same time, bind off 4 sts at each neck edge twice, 3 sts once, 2 sts once and 1 st twice. At same time. on first row of neck shaping, shape shoulders: bind off 4 sts at each

shoulder edge twice and 3 sts 5 times (4 sts 7 times).


Left Front: with smaller needles and light grey, cast on 59 (65) sts. Change to larger needles, work in main pat and work side and armhole shaping at right edge same as for back. When left front measures 13 3/4" [35 cm] from beg, shape front neck: dec 1 st at left edge once, then dec 1 st every foll 4th row 13 (14) times, then every foll 6th row 8 times. At same time, when same length as back to shoulder, shape shoulder at right edge same as for back.

Right Front: work same as for left front, reversing all shaping.

Sleeves: with smaller needles and light grev, cast on 59 sts. Change to larger needles, work in main pat and shape sleeve as foll: inc 1 st each end of needle every 18th row 7 times, then every foll 16th row 7 times - 87 sts. Work increased sts into main pat. Cont in main pat until sleeve measures 18 1/2" [47 cm] from beg. Shape sleeve cap: bind off 4 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows and 1 st at beg of foll 10 rows. * Work 2 rows even. Bind off 1 st at beg of next 2 rows. Rep from * 8 times more, then bind off 1 st at beg of foll 22 rows. Bind off remaining 25 sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams.

Front trim: with circular needle, light grey, beg at right side seam and end at left side seam, pick up and k 420 sts around entire edge of jacket. Work in St st for 5 rows and at same time, inc [M1r] 1 st every other row before and after corner st at each front lower edge. K next WS row for turning ridge, then work in St st for 5 rows and at same time, dec [k2toq] 1 st every other row before and after corner st at each front lower edge. Bind off all sts. With circular needle and light grey, pick up and k 121 sts along back lower edge and work same as for front trim. With circular needle and light grey, pick up and k 59 sts along lower edge of sleeve and work same as for front trim. Sew side and sleeve seams. Fold trim to WS at turning ridge and sew down. Sew sleeves.



DESIGN 35

JACKET Size 38/40 Finished Bust 42 1/2" Length 26"

Materials: approx. 17 balls (approx. 121yd/110m each) of Lana Grossa Solo Cashmere 110 (100% cashmere) in light grey (col 108); size 4 and 6 [3.5 and 4mm] needles, size 4 [3.5mm] circular needle, size E/4 [3.5mm] crochet hook.

Rib Pattern: k2, p2,

Main Pattern: worked over an odd number of sts. Row 1 [RS]: k. Row 2 [WS]: selvage st, * yo, sl1 pwise, k1, rep from *, end yo, sl1 pwise, selvage st. Row 3: selvage st, * k1, sl yo pwise wyib, k1, rep from *, end k1, selvage st. Row 4: selvage st, * k2tog next st and yo, yo, sl1 pwise, rep from *, end k2tog next st and yo, selvage st. Row 5: selvage st, * k2, sl yo pwise wyib, rep from *, end k1, selvage st. Row 6: selvage st, * yo, sl1 pwise, k2tog next st and yo, rep from *, end yo, rep from *, end yo, sl1 pwise, selvage

st. Repeat rows 3-6 throughout.

Pocket Lining [make 2]: with larger needles, cast on 25 sts and work in main pat for 5 1/2" [14 cm]. SI sts to holder.

Back: with larger needles, cast on 99 sts and work in main pat until back measures 17" [43 cm] from beg. Shape armholes: bind off 1 st at beg of next 16 rows – 83 sts. Cont in main pat until armhole measures 8 1/4" [21 cm]. Shape shoulders: bind off 5 sts at each shoulder edge once and 4 sts 5 times. Bind off remaining 33 sts.

Left Front: with larger needles, cast on 39 sts and work in main pat until left front measures 7 3/4" [20 cm]. Next, work opening for pocket as foll: selvage st, work 8 sts in main pat, bind off 25 sts, sl 25 pocket lining sts to needle, work in main pat to end. Cont in main pat and work armhole shaping at right edge same as for back. At same time, when left front measures 12 1/2" [32 cm] from beg, shape front neck: dec 1 st at left edge once. then every foll 22nd row 5 times more. When same length as back to shoulder, shape shoulder at


right edge same as for back.

Right Front: work same as for left front, reversing all shaping.

Sleeves: with larger needles, cast on 53 sts and work in main pat for 5 1/2" [14 cm]. Cont in main pat and shape sleeve as foll: inc 1 st each end of needle on next row, then every foll 14th row 9 times, then every foll 12th row twice – 77 sts. Cont in main pat until sleeve measures 19 1/4" [49 cm] from beg. Shape sleeve cap: bind off 1 st at beg of next 16 rows. Cont in main pat until sleeve measures 20 3/4" [53 cm] from beg. Bind off all sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular needle and beg at lower edge of right front, pick up and k 74 sts along straight edge of right front, 64 sts along shaped edge of right front, 40 sts along back neck edge, 64 sts along shaped edge of left front and 74 sts along straight edge of left front. Next WS row: selvage st, work in rib pat to last st, selvage st. Next RS row: work in pat as established to end

of back neck edge, turn, yo [yarn over RH needle], work 44 sts, turn, yo, work 48 sts. Continue in this manner, always working 4 additional sts at end of each row until the 64 sts of the shaped edge of right and left front are back in work. Next, work in rib pat across all sts for 4 3/4" [12 cm], then bind off all sts. Sew side and sleeve seams. Sew in sleeves. Sew pocket lining to WS. With crochet hook and yarn held double, work 1 row sc along pocket tops, sleeve edges and lower edge.



DESIGN 36

CARDIGAN Size 38/40 Finished Bust 37 3/4" Length 23 1/2"

Materials: approx. 9 balls (approx. 88yd/80m each) of Lana Grossa Alta Moda Sera (90% merino wool, 10% lurex) in beige (col 1); size 13 [9mm] needles, size 10 [6mm] circular needle. Four 1" buttons ["creative buttons" by Prym, item 312102).

Rib Pattern: k1, p1. St st: k on RS; p on WS.

Drop Stitch Pattern: multiple of 3 sts + 2 selvage sts. Row 1: selvage st, * yo twice, k1, rep from *, selvage st. Row 2: selvage st, * sl3 sts pwise, dropping all yo's. Sl elongated sts back to LH needle, k3tog tbl, leave sts on LH needle, yo, k3tog same 3 sts, sl sts to RH needle. Row 3: k all sts and yo's. Row 4: p all sts.

Full-fashioned decreases: at beg of row, selvage st, SKP [sl1 kwise,

k1, psso]; at end of row, work to last 3 sts, k2tog, selvage st.

Gauge: 12 sts and 16 rows = 4" [10 cm] in St st.

Back: with larger needles, cast on 59 sts. K next WS row, work 2 rows in St st, work 4 rows in drop st pat, then work in St st until back measures 15 3/4" [40 cm] from beg. Shape armholes: working fullfashioned decs, dec 1 st each end of needle on next row, then every other row 4 times more - 49 sts. Cont in St st until back measures 22 3/4" [58 cm] from beg. Shape neck: work to center 21 sts, join another ball of yarn, bind off center 21 sts, work to end. Working both sides at same time, work even until back measures 23 1/2" [60 cm] from beg. Bind off remaining 14 sts for each shoulder.


Left Front: with larger needles, cast on 26 sts and work same as for back until left front measures 13 3/4" [35 cm] from beg. Shape front neck: working full-fashioned decs, dec 1 st at left edge once, then every foll 4th row 6 times more. At

same time, when same length as back to armhole, shape armhole at right edge same as for back and when same length as back to shoulder, bind off remaining 14 shoulder sts.

Right Front: work same as for left front, reversing all shaping.

Sleeves: with larger needles, cast on 38 sts. Work same as for back and at same time, shape sleeve as foll: working full-fashioned decs. dec 1 st each end of needle every other row 3 times. Cont in St st until sleeve measures 4" [10 cm] from beg. Inc 1 st each end of needle on next row, then every foll 8th row 8 times more. Cont in St st until sleeve measures 20" [51 cm] from beg. Shape sleeve cap: working full-fashioned decs, dec 1 st each end of needle on next row, then every other row twice more. When sleeve measures approx. 22" [56 cm] from beg, bind off all sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. Front band: with circular needle and beg at lower edge of right front, pick up and k approx. 215 sts along right front, back neck and left front edge. K 2 rows, then work in rib pat until front band measures approx. 3/4" [2 cm] from beg. Cont in rib pat and work 4 buttonholes at right front every 4" [10 cm], working first buttonhole 8 3/4" [22 cm] from lower edge as foll: bind off 2 sts. On foll row, cast on 2 sts over bound-off sts. Cont in rib pat until front band measures 1 1/2" [4 cm] from beg. Bind off all sts. Sew side and sleeve seams. Sew in sleeves. Overcast buttons with varn and sew to left side.



Work in garter st for 6 1/4" [16 cm]. Bind off all sts. Sew on sleeves. Sew side and sleeve seams.

DESIGN 37

JACKET Size 38/40 Finished Bust 48 3/4" Length 29 1/4"

Materials: approx. 4 balls (approx. 341yd/310m each) each of Lana Grossa Lace Lux (67% viscose microfiber, 33% extrafine merino wool) in carmel (col 2); size 10 1/2 [6.5mm] needles, size 10 [6mm] circular needle.

Garter st: k every row. St st: k on RS; p on WS.

Main Pattern: multiple of 5 sts + 1 + selvage sts. Rows 1-6: work in St

st. Row 7 and 8: selvage st, *k1, yo, SKP [sl1 kwise, k1, psso], k2tog, yo, rep from *, end k1, selvage st. Row 8 and 10: p all sts and yo's. Row 11: selvage st, * yo, k1, rep from *, end selvage st. Row 12: p all sts and drop all yo's. Rows 13 and 15: same as rows 7 and 9. Rows 14 and 16: same as rows 8 and 10. Repeat rows 1-16 throughout.


Gauge: 15 sts and 18 rows = 4" [10 cm] in main pat.

Jacket is worked in one piece across shoulders, beg at back lower edge. Cast on 93 sts and work in garter st for 5 rows, then work rows 1-16 of main pat 8 times. Work 3 rows in St st. Shape back neck: work to center 17 sts, join another ball of yarn, bind off center 17 sts, work to end. Working both fronts at same time, work 3 rows in St st, work rows 1-16 of main pat 8 times, then work in garter st for 5 rows. Bind off all sts.

Sleeves: cast on 38 sts and work in garter st for 5 1/2" [14 cm]. Next, work in main pat and shape sleeve as foll: inc 1 st each end of needle every 8th row 6 times – 50 sts.

When sleeve measures 17 3/4" [45 31 cm] from beg, bind off all sts.

Finishing: with circular needle and beg at lower edge of right front, pick up and k approx. 110 sts along right front, back neck and left front edge.



DESIGN 38

SHORT DRESS/TUNIC Size 38/40 Finished Bust 36 1/4" Length 28 1/4"

Materials: approx. 5 balls (approx. 154yd/140m each) of Lana Grossa Carezza (45% silk, 30% baby alpaca, 25% merino wool) in camel (col 19); approx. 5 balls (approx. 88yd/80m each) of Lana Grossa Felpa (60% microfiber [polyamide], 40% superfine merino wool) in camel (col 21); size 10 – 10 1/2 [6-6.5mm] needles, size 10 1/2 [6.5mm] circular needle.

Garter st: k every row. St st: k on RS; p on WS.

Note: work with 2 strands Felpa

held tog throughout.

Gauge: 13 sts and 18 rows = 4" [10 cm] in St st and Carezza.


Back: with 2 strands of Felpa held tog, cast on 77 sts and work in garter st for 2 1/4" [6 cm]. Change to Carezza, work in St st and inc 13 evenly across first St st row - 90 sts. Cont in St st and shape sides as foll: dec 1 st each end of needle on next RS row, then every alternating 6th and 4th row 14 times - 62 sts. Work decs as foll: selvage st, k10, SKP [sl1 kwise, k1, psso], work to last 13 sts, k2tog, k10, selvage st. Cont in St st until back measures 22 1/2" [57 cm] from beg. Shape armholes: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows and 1 st at beg of foll 2 rows. Cont in St st until

beg. Shape neck: work to center 20 sts, join another ball of yarn, bind off center 20 sts, work to end. Working both sides at same time, bind off 3 sts at each neck edge once and 2 sts once. Cont in St st until back measures 29 1/2" [75 cm] from beg. Bind off remaining 10 sts for each shoulder.

Front: work same as for back until front measures 26 3/4" [68 cm] from beg. Shape neck: work to center 10 sts, join another ball of yarn, bind off center 10 sts, work to end. Working both sides at same time, bind off 3 sts at each neck edge once, 2 sts 3 times and 1 st once. When same length as back to shoulders, bind off remaining 10 sts for each shoulder.

beg of foll 2 rows. Cont in St st until Sleeves: with 2 strands of Felpa back measures 28 1/4" [72 cm] from held tog, cast on 35 sts and work in

garter st for 2 1/4" [6 cm]. Change to Carezza, work in St st and inc 6 sts evenly across first St st row – 41. Cont in St st until sleeve measures 4 3/4" [12 cm] from garter st. Next, with 2 strands of Felpa held tog, work 12 rows in garter st and at same time, dec 6 sts evenly across



first garter st row. Next, change to Carezza, work in St st and inc 6 sts evenly across first St st row. Cont in St st until sleeve measures 15 3/4" [40 cm] from beg. Inc 1 st each end of needle on next row, then every foll

8th row once more - 45 sts. Cont in St st until sleeve measures 18 1/2" [47 cm] from beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows, 1 st at beg of foll 18 rows and 2 sts at beg of foll 2

rows. Bind off remaining 13 sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular needle and 2 strands of Felpa held tog, pick up and k approx. 62 sts

around neck edge. Join for working in the rnd and work in garter st for 1 1/2" [4 cm]. Bind off all sts. Sew side and sleeve seams. Sew in sleeves.

DESIGN 39

SWEATER Size 38/40 Finished Bust 36 1/4" Length 26 3/4"

Materials: approx. 8 balls (approx. 231yd/210m) each of Lana Grossa Silkhair (70% superkid mohair, 30% silk) in rosewood (col 29); size 7 and 10 [4.5 and 6mm] needles, size D/3 [3.25mm] crochet hook, cable needle [cn].

St st: k on RS; p on WS.

Woven Pattern: multiple of 6 sts + selvage sts. Row 1: selvage st, * sl3 to cn and hold in front of work, k3, k3 from cn, rep from *, selvage st. Row 2 and all other WS rows: p. Row 3: k. Row 5: selvage st, k3, * sl3 to cn and hold in back of work, k3, k3 from cn, rep from *, end k3, selvage st. Row 7: k. Repeat rows 1-8 throughout.

Lace Pattern: work according to

Gauge: 19 sts and 26 rows = 4" [10 cm] in lace pat on smaller needles.

Back: with larger needles, cast on 122 sts and work in St st for 2 1/4" [6 cm]. Change to smaller needles and work in woven pat for 2 1/4" [6 cm]. Dec 31 sts evenly across last WS row of woven pat -91 sts. Next, work in lace pat according to chart as foll: selvage st, work st before pat rep, work 6-st pat rep throughout, work sts after pat rep, selvage st. Cont in lace pat until back measures 18" [46 cm] from beg. Shape armholes: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows, 3 sts at beg of foll 2 rows and 1 st at beg of foll 2 rows. Cont in lace pat until armhole measures 7 3/4" [20 cm].

Front: work same as for back until front measures 24" [61 cm]. Shape neck: work to center 19 sts, join another ball of yarn, bind off center 19 sts, work to end. Working both sides at same time, bind off 3 sts at each neck edge once, 2 sts twice, 1 st every other row twice, then every

Shape shoulders: bind off 4 sts at

each shoulder edge 3 times and 5


sts once. Bind off remaining sts.

foll 4th row once.

Sleeves: with larger needles, cast on 86 sts and work in St st for 3/4" [2 cm]. Change to smaller needles and work in woven pat for 2 1/4" [6 cm]. Dec 13 sts evenly across last WS row of woven pat - 73 sts. Next, work in lace pat according to chart until sleeve measures 4" [10 cm] from beg. Shape sleeve cap: bind off 2 sts at beg of next 4 rows and 1 st at beg of foll 2 rows. * Work 2 rows even. Bind off 1 st at beg of next 2 rows. Rep from * twice more. ** Work 4 rows even. Bind off 1 st at

beg of next 2 rows. Rep from ** once more. *** Work 2 rows even. Bind off 1 st at beg of next 2 rows. Rep from *** twice more, then bind off 2 sts at beg of foll 4 rows. Bind off remaining 39 sts.

Finishing: pin pieces to measurements and block with damp towels. Sew all seams, sew in sleeves, bringing center 7 3/4" [20 cm] at top of sleeve cap into pleats. With crochet hook, work 1 row rev sc [work sc from left to right] around neck edge.



On WS rows, p all sts and yo's

On WS rows, p all sts and yo's

pat rep

Chart A

Chart B

DESIGN 40

HOODIE Size 36/38 Finished Bust 33 3/4" Length 22 1/2"

Materials: approx. 5 balls (approx. 247yd/225m each) of Lana Grossa Fumato (42% extrafine merino wool, 40% polyamide, 18% baby alpaca) in powder/light grey (col 14); size 4 and 7 [3.5 and 4.5mm] needles, size E/4 [3.5mm] crochet hook.

Rib Pattern: k2, p2. St st: k on RS; p on WS

Lace Pattern A: work according to chart A

Lace Pattern B: work according to chart B.

Gauge: 17 sts and 24 rows = 4" [10 cml in St st.

Back: with smaller needles, cast on 78 sts and work in rib pat for 4" [10 cm]. Change to larger needles and work in St st until back measures 15" [38 cm] from beg. Shape armholes: bind off 4 sts at beg of next 2 rows, 2 sts at beg of foll 4 rows and 1 st at beg of foll 2 rows - 60 sts. Cont in St st until back measures 22 1/2" [57 cm] from bea. Bind off all sts.

Front: with smaller needles, cast on 78 sts and work in rib pat same as st and shape sleeve as foll: inc 1 st


for back. Change to larger needles, work in St st and divide front as foll: work first 32 sts and sl to holder. Work remaining 46 sts in St st and shape right edge as foll: dec 1 st at right edge every 4th row 25 times, working decs as foll: selvage st, k1, SKP [sl1 kwise, k1, psso], work to end. Cont in St st and when same length as back to armhole, shape armhole at left edge same as for back and when same length as back to shoulder, bind off remaining 12 shoulder sts. SI 32 sts from holder to needle and cast on 14 sts at left edge - 46 sts. Work in St st and shape left edge as foll: dec 1 st at left edge every 4th row 25 times, working decs as foll: work to last 4 sts, k2tog, k1, selvage st. When same length as back to armhole, shape armhole at right edge same as for back and when same length as back to shoulder, bind off remaining 12 shoulder sts.

Sleeves: with larger needles, cast on 51 sts. K 1 WS row, then work in lace pat A according to chart A as foll: selvage st, work sts before pat rep, work 12-st pat rep 3 times, work sts after pat rep, selvage st. Work chart rows 1-10 once, then work in St st until sleeve measures 11 3/4" [30 cm] from beg. Cont in St

each end of needle on next row, then every foll 12th row 3 times more - 59 sts. Cont in St st until sleeve measures 19" [48 cm] from beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows and 1 st at beg of foll 6 rows. * Work 2 rows even. Bind off 1 st at beg of next 2 rows. Rep from * twice more, then bind off 1 st at beg of foll 6 rows, 2 sts at beg of foll 4 rows and 3 sts at beg of foll 2 rows. Bind off re-

Left Hood Half: with larger needles, cast on 21 sts, work in St

maining 17 sts. st and shape hood as foll: inc 1 st at






Chart key: = k1

= vo

= k2tog

= SKP [sl1 kwise, kl, psso]

= SK2P [sl1 kwise, k2tog, psso]

= k3tog

right edge every other row once, then cast on 2 sts at right edge 4 times and 3 sts 3 times - 39 sts. Cont in St st until hood measures 10 1/4" [26 cm]. Dec 1 st at right edge once, then every other row 4 times, then bind off 2 sts twice and 3 sts once.

When hood measures 13" [33 cm], sl remaining 27 sts to holder. Work right hood half same as for left half, reversing all shaping.

Lace Trim: with larger needles, cast on 23 sts and work in lace pat B according to chart B, working 1 additional selvage st at each edge. When trim measures approx. 74" [188 cm], bind off all sts.

Finishing: sew shoulder seams. Sew hood to back neck edge, easing to fit. Sew lace trim to front edges of front halves and hood edge. Lap

right front half over left front half and sew down on WS. Sew side and sleeve seams. Sew in sleeves. With crochet hook, work 1 row rev sc [work sc from left to right] along edge of lace trim.

DESIGN 41

DRESS Size 38/40 Finished Bust 35 1/2" Length 31 1/2"

Materials: approx. 5 balls (approx. 341yd/310m each) each of Lana Grossa Lace Lux (67% viscose microfiber, 33% extrafine merino wool) in beige/taupe (col 10); size 4-6 [3.5-4mm] needles, size 4 [3.5mm] circular needle.

St st: k on RS; p on WS.

Lace Pattern: work according to chart A.

Trim Pattern: work according to chart B.

1 14 151 1 8,51

back

and

front.

31

half

17

Gauge: 29.5 sts and 26.5 rows = 4" [10 cm] in lace pat; 23 sts and 31 rows = 4" [10 cm] inSt st.

Back: cast on 177 sts. K 1 WS row, then work in lace pat according to chart A, -

working 14 pat rep throughout and

Chart A

sleeve. half | 141 12 1

working 1 additional selvage st at each edge. Cont in pat as established until back measures 4" [10 cm]. Shape sides: dec 1 st [p2tog] in each 6-st rev St st segment every 4" [10 cm] 4 times and dec 1 st in 3-st rev St st segement before and after selvage st every 7 3/4" [20 cm] twice and when back measures 17 3/4" [45 cm] from beg, k4tog at beg of each pat rep and k4tog tbl at end of each pat rep - 135 sts. Cont in pat as established until back measures 24 1/4" [62 cm] from beg. Shape armholes: bind off 4 sts at beg of next 2 rows, 3 sts at beg of foll 2 rows, 2 sts at beg of foll 2 rows and 1 sts at beg of foll 2 rows - 115 sts. Cont in pat as established until back measures

> 30 3/4" [78 cm] from beg. Shape neck: work to center 57 sts, join another ball of yarn, firmly bind off center

> > Chart kev: = k1

= p1 $= y_0$

= k3tog= k3tog tbl

= [k1, k1tbl, k1, k1tbl, k1] all in same st

A = p5tog

= k5tog tbl

57 sts, work to end. Working both sides at same time, bind off 7 sts at each neck edge once and 6 sts once. When back measures 31 1/2" [80 cm] from beg, bind off remaining 16 sts for each shoulder.

Front: work same as for back until front measures 29 1/4" [74 cm] from beg. Shape neck: work to center 37 sts, join another ball of yarn, bind off center 37 sts, work to end. Working both sides at same time, bind off 4 sts at each neck edge 5 times and 3 sts once. When same length as back to shoulders, bind off remaining 16 sts for each shoulder.

Sleeves: cast on 59 sts, work in St st and shape sleeve as foll: inc 1 st each end of needle every other row 8 times - 75 sts. Cont in St st until

Chart A

sleeve measures 2 1/4" [6 cm] from beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows, 1 sts at beg of foll 38 rows and 2 sts at beg of foll 2 rows. Bind off remaining 23 sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular needle, pick up and k 144 sts around neck edge. Join for workin in rnds and work in trim pat according to chart B, working pat rep around. Work to end of chart. On foll row, bind off firmly. With crochet hook, work 1 rnd rev sc [work sc from left to right] around trim, slightly easing in. Sew side and sleeve seams. Sew in sleeves. Work 1 rnd rev sc around sleeve edges.

Turn work after having worked the

number of sts indicated in pattern,


sl1 kwise or pwise as necessary to

Full-fashioned decreases 1: at

beg of row, selvage st, k2, k2tog;

at end of row, work to last 5 sts,

stay in pat, work to end.



cording to chart A.

NO. **- A** 0 0 0 -----0 0 0 0 0 pat rep

Repeat rows 1-12 throughout

DESIGN 42

COWL NECK SWEATER Size 38/40 Finished Bust 36 1/4"

Length 29 1/4"

Materials: approx. 11 balls (approx. 176yd/160m each) of Lana Cable Pattern A: work ac-

On WS rows, work sts as they appear

Grossa Evento (65% cotton, 35% extrafine merino wool) in light rosewood/brown (col 28); size 7 [4.5mm] needles, size E/4 [3.5mm] crochet hook, cable needle [cn].

Rib Pattern: k2, p2.

Cable Pattern B: work according to chart B. Cable Pattern C: work according to chart C. Short-rows: are used to shape the cowl. Work partial rows only.

St st: k on RS; p on WS.

Chart key for A: $\square = k1$

= sl5 to cn and hold in back of work, k5, k5 from cn = sl5 to cn and hold in front of work, k5, k5 from cn

Chart key for B:

 $\square = k1$ = p1

+++

+++

= sl4 to cn and hold in back of work, k4, k4 from cn

= sl4 to cn and hold in front of work, k4, k4 from cn

= sl1 to cn and hold in back of work, k4, p1 from cn = sl4 to cn and hold in front of

work, p1, k4 from cn = sl2 to cn and hold in front of

work, k2, k2 from cn = sl2 to cn and hold in back of work, k2, k2 from cn

st. Full-fashioned decreases 2: at beg of row, selvage st. k1, k2tog; at end

of row, work to last

4 sts, SKP, k1, sel-

vage st.

SKP [sl1 kwise, k1,


psso], k2, selvage

Full-fashioned increases: work M1r inc, 3 sts in from each edge.

Gauge: 20 sts and 28 rows = 4" [10]cm] in St st; cable pat A = approx. 31/2" [9 cm]; cable pat B = approx. 5 1/2" [14 cm]; cable pat C = approx. 4"

Repeat rows 1-8 throughout


Chart B On WS rows, work sts as they appear



Repeat rows 1-28 throughout

[10 cm].

Back: cast on 98 sts. Working first 3 sts after selvage st as p1, k2 and last st before selvage st as p1, work in rib pat for 4 3/4" [12 cm]. Inc 13 sts evenly across center 20 sts on last WS row of rib pat – 111 sts. Next, position sts as foll: selvage st, work 38 sts in St st, work 33 sts in cable pat A, work 38 sts in St st, selvage st. Work in pat as established and shape sides as foll: working full-fashioned dec 1, dec 1 st each end of needle every 8th row once. Cont in pat as establis-



hed until back measures 16 1/4" [41 cm] from beg. Working full-fashioned incs, inc 1 st each end of needle on next row, then every foll 6th row 5 times more. Cont in pat as established until back measures 21 1/4" [54 cm] from beg. Shape raglan armhole: working full-fashioned dec 2, dec 1 st each end of needle on next row, then every other row 27 times more. When back measures 29 1/4" [74 cm] from beg, bind off all sts and at same time, dec 13 sts evenly across cable pat.

Front: work same as for back to armhole. Shape raglan armhole: working full-fashioned dec 2, dec 1 st each end of needle on next row, then every other row 24 times more. At same time, when front measures 27 1/2" [70 cm] from beg, shape neck: work to center 34 sts, join another ball of yarn, bind off center 34 sts, work to end. Working both sides at same time, bind off 2 sts at each neck edge once and 1 sts once. Bind off remaining shoulder sts.

Left Sleeve: cast on 54 sts. Wor-

king first st after selvage st as p1, work in rib pat for 4 3/4" [12 cm]. Cont in St st and shape sleeve as foll: working full-fashioned incs, inc 1 st each end of needle every 14th row 6 times. Cont in St st until sleeve measures 18 1/2" [47 cm] from beg. Shape raglan sleeve cap: working full-fashioned dec 2, dec 1 st each end of needle on next row, then every other row 24 times. Bind off 4 sts at left edge once, 2 sts 3 times and at same time, dec 1 st at right edge every other row 3 times.

Right Sleeve: work same as for right sleeve, reversing all shaping.

sts and position sts as foll:
selvage st, work 36 sts in
cable pat B according
to chart
B, work Chart C
30 sts On WS rows, p all sts
in cable
pat C
accor-

ding to

chart C.

Cowl: worked separately

and sewn on. Cast on 68

selvage st. Work in pat as established for 4 rows. Next, work short-row as foll: selvage st, work 36 sts in cable pat B, turn, work to end. Repeat last 6 rows 41 times, then bind off all sts. Cowl measures approx. 45 1/4" [115 cm] at bottom edge.

Finishing: pin pieces to measu-

Finishing: pin pieces to measurements and block with damp towels. Sew raglan seams. With crochet hook, work 1 rnd sc around neck edge. Sew short edges of cowl tog. Sew cowl to neck edge, easing in. Sew side and sleeve seams.

Chart key for C:

□ = k1

च = sl3 to cn and hold in back of work, k3, k3 from cn

□ = sl3 to cn and hold in front of work, k3, k3 from cn

Repeat rows 1-8 throughout

DESIGN 43

DEEP V-NECK SWEATER Size 38/40 Finished Bust 36 1/4" Length 26 3/4"

Materials: approx. 9 balls (approx. 154yd/140m each) of Lana Grossa Carezza (45% silk, 30% baby alpaca, 25% merino wool) in rose (col 15); size 8 [5mm] needles, size 7 [4.5mm] circular needle, cable needle [cn].

St st: k on RS; p on WS. Rev st st: p on RS; k on WS.

Main Pattern: work according to chart.

Gauge: 20 sts and 23 rows = 4" [10 cm] in main pat.

Back: cast on 92 sts. K 1 WS row, then work in main pat according to chart as foll: selvage st, work 6 sts before pat rep, work pat rep 13 times, work 6 sts after pat rep, selvage st. Work in pat as established until back measures 6 3/4" [17 cm] from beg. Cont in pat as established and shape sides as foll: dec 1 st each end of needle on next row, then every foll 8th row 3 times. Cont in pat as established until back measures 13 3/4" [35 cm] from beg. Inc 1 st each end of needle on next row, then every foll 6th row 3 times. Cont in pat as established until back measures 18" [46 cm] from beg. Shape armholes: bind off 4

st at beg of next 2 rows, 3 sts at beg of foll 2 rows, 2 sts at beg of foll 4 rows and 1 st at beg of foll 2 rows – 68 sts. Cont in pat as established until back measures 25 1/2" [65 cm] from beg. Shape neck: work to center 6 sts, join another ball of yarn, bind off center 6 sts, work to end. Working both sides at same time, bind off 5 sts at each neck edge twice. At same time, on first row of neck shaping, shape shoulders: bind off 6 sts at each shoulder edge once and 5 sts 3 times.

Front: work same as for back until front measures 13" [33 cm] from beg. Shape V-neck: work to center, join another ball of yarn, work to end. Working both sides at same time, dec 1 st at each neck edge every 6th row 13 times. At same time, when same length as back to shoulders, shape shoulders same as for back.

Sleeves: cast on 83 sts and work

in rib pat as foll: selvage st, work 2 sts in rev St st, * work 1 st in St st, work 3 sts in rev St st, rep from *, end with 1 st in St st, 2 sts in rev St st, selvage st. Work in pat as established for 18 rows. Next [dec] row: dec [p2tog] 1 st in every other 3-st rev St st segment. Work even in pat for 3 rows. Next [dec] row: dec 1

st in every remaining 3-st rev St st segment. Work even in pat for 7 rows. Next [dec] row: dec 1 st in every other 2-st rev St st segment. Work even in pat for 3 rows. Next [dec] row: dec 1 st in every remaining 2-st rev St st segment - 43 sts. Work 2 rows more in pat as established and inc [M1] 1 st after selvage st on 2nd of these 2 rows - 44 sts and sleeve measuring 6 1/4" [16 cm], Next, work in main pat according to chart as foll: selvage st, work 6 sts before pat rep, work pat rep 5 times, work 6 sts after pat rep, selvage st. Work in pat as established and shape sleeve as foll: inc 1 st each end of


needle every 8th row 6 times, then every foll 6th row 6 times – 68 sts. Work increased sts into main pat. Cont in pat as established until sleeve measures 21 1/4" [54 cm] from

beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows, 1 st at beg of foll 24 rows, 2 sts at beg of foll 4 rows and 3 sts at beg of foll 2 rows. Bind off remaining 20 sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With circular needle pick up and k approx. 157 sts around neck edge. Join for working in rnds. * K 1 rnd, p 1 rnd, rep from * for approx. 3/4" [2 cm] and at same time, p3tog at center V every other rnd. Bind off all sts. Sew side and sleeve seams. Sew in sleeves.

Chart

On WS rows, work sts as they appear



Repeat rows 1-12 throughout

Chart key: $\Box = k1$

- = p1

= sl1 to cn and hold in back of work, k1, k1 from cn

= sl1 to cn and hold in front of work, k1, k1 from cn

= sl1 to cn and hold in front of work, p1, k1 from cn

= sl1 to cn and hold in back of work, p1, k1 from cn

DESIGN 44


SWEATER WITH ASYMMETRI-**CAL HEMLINE**

Size 38/40

Finished Bust 36 1/4"

Length 22" excluding pointed hem

Materials: approx. 5 balls (approx. 209yd/190m each) of Lana Grossa Chiara (70% viscose, 20% superkid



size G/6 [4mm] crochet hook.

Lace Pattern: work according to chart.

Gauge: 20 sts and 26 rows = 4" [10 cm] in lace pat.

Back: cast on 17 sts. K 1 WS row, then work in lace pat according to chart, working 1 additional selvage st at each edge. On first RS row of lace pat, cast on 15 sts at left edge using the backward loop method. On first WS row after each cast-on

> row, p all newly cast-on sts. On foll WS rows, work these sts into lace 18.5 pat. Cast on 15 sts at left edge on foll 23rd, 35th, 47th and 59th row - 92 sts and 6 pat reps. Cont in pat as established until back measures 14 3/4" 57,5 [37.5 cm] at left edge. Shape armholes: bind off 7 sts at beg of next 2 rows - 78 sts. Cont in pat as established until armhole measures 7-1/4" [18.5 cm]. Bind off

all sts.

Front: work same as for back, reversing all shaping. Cast on 17 sts. K 1 WS row, then work in lace pat according to chart and cast on 15 sts at right edge on 13th, 25th, 37th, 49th and 61st row. Cont in pat as established until same length as back to armhole. Shape armholes same as for back. Cont in pat as established until armhole measures 53/4" [14.5 cm]. Shape neck: work to center 30 sts, join another ball of varn, bind off center 30 sts, work to end. Working both sides at same time, bind off 4 sts at each neck edge once, 3 sts once, 2 sts once and 1 st once. When front neck measures 1 1/2" [4 cm] in depth, bind off remaining 14 sts for each shoulder.


Sleeves: cast on 47 sts. K 1 WS row, then work in lace pat according to chart, working pat rep 3 times and working 1 additional selvage st at each edge. Cont in pat as established and shape sleeve as foll: inc 1 st each end of needle every 8th row

15 times - 77 sts. Work increased sts into lace pat. Cont in pat as established until sleeve measures 20 1/4" [51.5 cm] from beg. Bind off all sts.

Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With crochet hook, work 1 rnd sc, 1 rnd rev sc [work sc from left to right] around neck edge. Sew side and sleeve seams. Sew in sleeves.

Chart

On WS rows, p all sts and yo's



Repeat rows 1-12 throughout

Chart key:

 $\square = k1$

o = yo

/ = k2tog

= SKP [sl1 kwise, k1, psso]

DESIGN 45

LACE SWEATER Size 38/40 Finished Bust 33 3/4" Length 21 3/4"

Materials: approx. 3 balls (approx. 341yd/310m each) each of Lana Grossa Lace Lux (67% viscose microfiber, 33% extrafine merino wool) in silver grey (col 11); size 6 [4mm] needles, size D/3 [3.25mm] crochet hook.

St st: k on RS; p on WS.

Lace Pattern: work according to

Gauge: 22.5 sts and 31 rows = 4" [10 cm] in lace pat; 23 sts and 31 rows = 4" [10 cm] in St st.

Back: cast on 99 sts. K 1 WS row, then work in lace pat according to chart as foll: selvage st, work pat rep 8 times, work 1 st in St st, sel-

vage st. Work in pat as established until back measures 14 1/2" [37 cm] from beg. Shape armholes: bind off 4 sts at beg of next 2 rows, 3 sts at beg of foll 2 rows, 2 sts at beg of foll 4 rows and 1 st at beg of foll 2 rows - 75 sts. Cont in pat as established until back measures 20 3/4" [53 cm] from beg. Shape neck: work to center 25 sts, join another ball of yarn, bind off center 25 sts, work to end. Working both sides at same time, bind off 3 sts at each neck edge once and 2 sts once. When back measures 21 3/4" [55 cm] from beg, bind off remaining 20 sts for each shoulder.


Front: work same as for back until front measures 19" [48 cm] from beg. Shape neck: work to center 13 sts, join another ball of yarn, bind off center 13 sts, work to end. Working both sides at same time, bind off 3 sts at each neck edge once,

2 sts twice and 1 st 4 times. When same length as back to shoulders, bind off remaining 20 sts for each shoulder.


Sleeves: cast on 64 sts, work in St st and shape sleeve as foll: inc 1 st each end of needle every other row 6 times - 76 sts. Cont in St st until sleeve meas 2" [5 cm] from beg. Shape sleeve cap: bind off 3 sts at beg of next 2 rows, 2 sts at beg of foll 2 rows, 1 st at beg of foll 38 rows, 2 sts at beg of foll 2 rows, then bind off remaining 24 sts. Finishing: pin pieces to measurements and block with damp towels. Sew shoulder seams. With crochet hook, work 1 rnd sl st, 1 rnd rev sc [work sc from left to right] around neck edge. Sew side and sleeve seams. Sew in sleeves. Work 1 rnd rev sc around sleeve edges and lower edge.

Chart

On WS rows, p all sts and yo's



Repeat rows 1-12 throughout



21,5





